

# Variable stars in the bar of the Large Magellanic Cloud: the photometric catalogue<sup>\*</sup>

Luca Di Fabrizio<sup>1,2</sup>, Gisella Clementini<sup>1</sup>, Marcella Maio<sup>1</sup>, Angela Bragaglia<sup>1</sup>, Eugenio Carretta<sup>1,3</sup>, Raffaele Gratton<sup>3</sup>, Paolo Montegriffo<sup>1</sup>, and Manuela Zoccali<sup>4,5</sup>

<sup>1</sup> INAF - Osservatorio Astronomico di Bologna, Via Ranzani 1, 40127 Bologna, ITALY, (gisella.clementini, marcella.maio, angela.bragaglia, eugenio.carretta, paolo.montegriffo)@bo.astro.it

<sup>2</sup> INAF - Centro Galileo Galilei & Telescopio Nazionale Galileo, PO Box 565, 38700 S.Cruz de La Palma, Spain, difabrizio@tng.iac.es

<sup>3</sup> INAF - Osservatorio Astronomico di Padova, Vicolo dell'Osservatorio 5, 35122 Padova, ITALY, gratton@pd.astro.it

<sup>4</sup> Pontificia Universidad Católica de Chile, Departamento de Astronomía y Astrofísica, Av. Vicuña Mackenna 4860, 782-0436, Macul, Santiago, Chile, mzoccali@astro.puc.cl

<sup>5</sup> Princeton University Observatory, Peyton Hall, Princeton NJ 08544, USA

Received 14 July 2004/Accepted 27 September 2004

**Abstract.** The catalogue of the Johnson-Cousins  $B$ ,  $V$  and  $I$  light curves obtained for 162 variable stars (135 RR Lyrae, 4 candidate Anomalous Cepheids, 11 Classical Cepheids, 11 eclipsing binaries and 1  $\delta$  Scuti star) in two areas close to the bar of the Large Magellanic Cloud is presented along with coordinates, finding charts, periods, epochs, amplitudes, and mean quantities (intensity- and magnitude-averaged luminosities) of the variables with full coverage of the light variations. A star by star comparison is made with MACHO and OGLE II photometries based on both variable and constant stars in common, and the transformation relationships to our photometry are provided. The pulsation properties of the RR Lyrae stars in the sample are discussed in detail. Parameters of the Fourier decomposition of the light curves are derived for the fundamental mode RR Lyrae stars with complete and regular curves (29 stars). They are used to estimate metallicities, absolute magnitudes, intrinsic  $(B - V)_0$  colours, and temperatures of the variable stars, according to Jurcsik and Kovács (1996), and Kovács and Walker (2001) method. Quantities derived from the Fourier parameters are compared with the corresponding observed quantities. In particular, the “photometric” metallicities are compared with the spectroscopic metal abundances derived by Gratton et al. (2004) from low resolution spectra obtained with FORS at the Very Large Telescope.

**Key words.** Stars: oscillations – Stars: evolution – Stars: variables: RR Lyrae – Galaxies: individual: LMC – Techniques: photometry

## 1. Introduction

RR Lyrae stars and Cepheids are primary distance indicators and set the astronomical distance scale to the Large Magellanic Cloud and to the galaxies of the Local Group. Being from 2 to 6-7 magnitudes brighter than the RR Lyrae stars, Cepheids allow to reach galaxies as far as  $\simeq 20$  Mpc (see Freedman et al. 2001). Conspicuous samples of these variables have been discovered in the Large Magellanic Cloud (LMC) as a by-product of the microlensing surveys conducted by the MACHO collaboration (Alcock et al. 1996, hereinafter A96) and by OGLE

II (Udalski et al. 1997). A96 found more than 7,900 RR Lyrae stars in the  $\sim 39,000$  arcmin<sup>2</sup> of the LMC they surveyed, among which 181 double-mode pulsators (RRd's, Alcock et al. 1997, 2000), as well as large numbers of Cepheids and eclipsing binary systems. Similar numbers are reported by OGLE II (Soszyński et al. 2003), who also increased to 230 the number of double-mode RR Lyrae stars. Calibrated photometry for the LMC RR Lyrae stars has been published by both the MACHO collaboration (Alcock et al. 2003a) and the OGLE II team (Soszyński et al. 2003). However, non-standard photometric passbands were used by MACHO, and the RR Lyrae stars are near the limiting magnitudes of these surveys, so that the photometric accuracy of the individual light curves is reduced. This limits the use of these samples in the derivation of very precise estimates of the LMC distance, or in the study

Send offprint requests to: L. Di Fabrizio

<sup>\*</sup> Based on data collected at the European Southern Observatory, proposal numbers 62.N-0802, 66.A-0485, and 68.D-0466

and theoretical reproduction of the light curves (see for instance Marconi & Clementini 2004). Besides, in these experiments the variable stars were mainly observed in  $V$  and  $I$  and only to a lesser extent in the  $B$  passband, thus limiting the comparison with most of the Galactic samples which instead generally use  $B$  and  $V$ .


We have obtained accurate multiband time series photometry reaching  $V \sim 23$  (i.e.  $\sim 3.5$  mag fainter than the RR Lyrae stars in the LMC) of two  $13' \times 13'$  fields close to the bar of the LMC and studied their variable stars (135 RR Lyrae, 4 candidate Anomalous Cepheids, 11 Classical Cepheids, 11 eclipsing binaries, and 1  $\delta$  Scuti). The photometric data were complemented by spectroscopic observations obtained with the 3.6 m and the VLT ESO telescopes in 1999 and 2001, respectively, and used to derive individual metallicities for 103 of the variables in the present sample, and the luminosity-metallicity relation ( $M_V(RR) - [Fe/H]$ ) of the LMC RR Lyrae stars (Bragaglia et al. 2001, Clementini et al. 2003a, hereinafter C03, Gratton et al. 2004, hereinafter G04). A discussion of the astrophysical impact of the new data on the derivation of the  $M_V(RR) - [Fe/H]$  relationship and on the definition of the distance to the LMC has been presented in C03.

In this paper we present the catalogue of the  $B, V, I$  light curves obtained for the 162 short period variables we have identified in the two fields. In Section 2 we describe the acquisition, reduction and calibration of the data. Section 3 describes the identification, the period search procedures and the characteristics of the variables. In Section 4 we present the star-by-star comparison with MACHO and OGLE II photometries, based on both variable and constant stars in common, and provide transformation relationships. The period distribution and the period amplitude relations followed by the RR Lyrae stars in our sample are discussed in Section 5. In Section 6 we discuss the metallicities, absolute magnitudes, intrinsic  $(B - V)_0$  colours, and effective temperatures derived from the Fourier decomposition of the light curve of the  $ab$ -type RR Lyrae stars with regular light curves (29 stars) and compare them with the corresponding observed quantities.

## 2. Observations and reductions

The photometric observations presented in this paper were carried out at the 1.54 m Danish telescope located in La Silla, Chile, on the nights 4-7 January 1999, UT, and 23-24 January 2001, UT, respectively. The journal of the photometric observations is provided in Table 1 along with information about sky conditions during the observations.

In both observing runs we centered our observations at two different positions, hereinafter called field A and B, close to the bar of the LMC and contained in fields #6 and #13 of the MACHO microlensing experiment (see A96 and the MACHO web site at <http://www.macho.mcmaster.ca>). Field A turned out also to have an about 40% overlap with OGLE II field LMC\_SC21 (Udalsky et al. 2000). The observed fields and



**Fig. 1.** The light squares indicate the approximate positions of our observed fields with respect to MACHO's fields # 6 and #13. The elongated rectangle identifies the position of the OGLE II field LMC\_SC21.

their positions with respect to MACHO's map of the LMC are shown in Figure 1, where the elongated rectangle indicates the position of the OGLE II field LMC\_SC21.

The two positions were chosen in order to maximize the number of known RRd's observable with only two pointings of the 1.54 m Danish telescope, since a major purpose of our study was to derive the mass-metallicity relation for double mode pulsators (Bragaglia et al. 2001). We expected to observe about 80 RR Lyrae's according to A96 average density of RR Lyr's in the LMC, among which 5 and 4 double mode RR Lyrae (RRd), in field A and B, respectively (Alcock et al. 1997, hereinafter A97). Coordinates (epoch 2000) of the two centers are:  $\alpha = 5:22:48.49$ ,  $\delta = -70:34:06$  (field A), and  $\alpha = 5:17:35.7$ ,  $\delta = -71:00:13$  (field B). In both observing runs the telescope was equipped with the DFOSC focal reducer. In 1999 data were acquired on a Loral/Lesser 2052x2052 pixel chip (CCD #C1W7, scale 0.4 arcsec/pix, field of view of  $13.7 \text{ arcmin}^2$ ), and a filter wheel mounting the Johnson standard system. Observations were done in the Johnson-Bessel  $B$  and  $V$  filters (ESO 450, and 451), and we obtained 58  $V$  and 27  $B$  frames for field A, and 55  $V$  and 24  $B$  frames for field B. Seeing conditions were quite variable during each night and the whole observing run; typical values were in the range 1.3-1.9 arcsec (see Table 1)<sup>1</sup>.

<sup>1</sup> These are the values measured from the FWHM of the observed stellar profiles. Note that these values likely overestimate the real seeing FWHM, since it is now acknowledged that there was some photon diffusion on the Loral-Lesser CCD at the 1.54 m Danish telescope. This problem is not present in the EEV chip used in the 2001 observations.

**Table 1.** Journal of the photometric observations

| Observing date (UT) | N.of Observations |          |          |          |          |          | Photom. cond. | Seeing  |
|---------------------|-------------------|----------|----------|----------|----------|----------|---------------|---------|
|                     | Field A           |          |          | Field B  |          |          |               |         |
|                     | <i>B</i>          | <i>V</i> | <i>I</i> | <i>B</i> | <i>V</i> | <i>I</i> |               |         |
|                     |                   |          |          |          |          |          |               | arcsec  |
| Jan. 4, 1999        | 11                | 20       | –        | 3        | 10       | –        | clear         | 1.4-1.8 |
| Jan. 5, 1999        | 3                 | 11       | –        | 11       | 22       | –        | clear         | 1.4-1.9 |
| Jan. 6, 1999        | 10                | 19       | –        | 3        | 9        | –        | photometric   | 1.3-1.4 |
| Jan. 7, 1999        | 3                 | 8        | –        | 7        | 14       | –        | poor-cirri    | 1.3-1.7 |
| Jan. 23, 2001       | 7                 | 7        | 7        | 7        | 7        | 7        | photometric   | 0.9-1.6 |
| Jan. 24, 2001       | 7                 | 7        | 7        | 7        | 8        | 7        | photometric   | 0.8-1.2 |
| Total               | 41                | 72       | 14       | 38       | 70       | 14       | –             | –       |

Exposure times varied from 180 to 300 sec in *V* and from 360 to 480 sec in *B*, depending on weather/seeing conditions and hour angle. They were chosen as an optimal compromise between S/N and time resolution of the light variations of the RR Lyrae variables. Eighteen stars from Landolt (1992) standard fields were observed during each night in order to secure the transformation to the standard Johnson photometric system.

In the 2001 run, data were acquired on an EEV 42-80 CCD (2048x4096 pixels, scale of 0.39 arcsec/pix and field of view of 13.7 arcmin<sup>2</sup>). The CCD has pixel size of 15  $\mu$ m and is back-illuminated to increase its quantum efficiency, particularly at shorter wavelengths. Due to the field of view of the DFOSC focal reducer, only half of the CCD is actually used to image data. Observations were done in the Johnson-Bessel *B*, *V* and in the *i*-Gunn filters<sup>2</sup> (ESO 450, 451, and 425) and we obtained 14 *V*, 14 *B* and 14 *i* frames for field A, and 15 *V*, 14 *B*, and 14 *i* frames for field B. Exposure times were of 360 sec in *B*, and 180 sec in *V* and *i*.

Both nights of the 2001 run were fully photometric with good seeing conditions. Transparency and seeing were better in the second night with most frequent values of the seeing around 1.0 arcsec in *B* and *V*, and 0.8 arcsec in *i*. A large number of standard stars in Landolt (1992) - Stetson (2000) standard fields PG0918+029, PG0231+051, PG1047+003, and SA98 were observed several times during both nights to estimate the nightly extinction and to tie the observations to the standard Johnson-Cousins photometric system (see Section 2.2). Two exposures of different length were taken at any pointings of the standard fields, in order to obtain well exposed measurements of both bright and faint standard stars.

## 2.1. Reductions

Reduction and analysis of the 1999 photometric data were done using the package DoPHOT (Schechter, Mateo & Saha 1993), which uses an elliptical Gaussian PSF to evaluate instrumental magnitudes. We used a PSF varying with the position on the frame and run DoPHOT inde-

pendently on all frames, with a threshold for source detection of 5  $\sigma$  above the local sky. The resulting tables were then aligned to the “best” frame for each field (i.e., to the one taken in best seeing and weather conditions, and near meridian) and stars were counteridentified using a private software written by P. Montegriffo. Catalogues were produced, all containing the same number of stars, and with a unique identifying number: this helped in the following variability search and study. The number of objects classified as stars in each frame is variable (from several thousands to about 30,000). The final 1999 catalogues, after counteridentification in *V* and *B*, contain about 29,000 objects for field A and about 23,000 for field B; this difference seems reasonable since field A is slightly closer to the LMC bar and thus more crowded than field B.

Photometric reductions of the 2001 data were done using DAOPHOT/ALLSTAR II (Stetson 1996) and ALLFRAME (Stetson 1994). DAOPHOT/ALLSTAR II allows to obtain very precise brightness estimates and astrometric positions for stellar objects in individual two-dimensional digital images starting from a rough initial estimate for the position and brightness of each star, and a model of the PSF for each frame. We used a source detection threshold of 4  $\sigma$  above the local sky background, and a PSF which varied quadratically with the position in the frame. Modelling of the PSF in each frame was obtained by considering a set of about 100 stars. The resulting PSFs are hybrid models consisting of an analytic function and a table of residuals, thus offering both the advantages of an analytic and of an empirical PSF.

Because of the high crowding of our LMC fields, in addition to DAOPHOT/ALLSTAR, reductions were executed with ALLFRAME, which performed the simultaneous consistent reductions of all the 2001 multicolour images of our fields: 42 frames for field A, and 43 frames for field B, respectively. By combining informations coming from all images it was thus possible to obtain a better precision in the identification and centering of the stars, and to resolve objects that appeared blended in frames with worse seeing conditions.

Aperture corrections were derived for the *B*, *V*, *I* reference frames from about 10 bright and relatively isolated stars in each frame. The choice of these stars has been

<sup>2</sup> The *i*-Gunn observations can be reliably transformed to the standard *I* of the Landolt-Cousins system



particularly difficult for field A, the more crowded one, for which we also derived larger corrections. The mean differences between PSF and aperture magnitudes were used to correct the PSF magnitudes of all other objects. The  $B$ ,  $V$ ,  $I$  corrections (aperture minus PSF) were:  $-0.140$ ,  $-0.073$ ,  $-0.020$  mag for field A, and  $-0.026$ ,  $-0.035$ ,  $-0.040$  mag for field B respectively.

Aperture magnitudes for the photometric standard stars were computed using PHOT in DAOPHOT, rejecting all saturated stars and all objects with less than 1000 detected counts. The aperture radii for these stars were determined from curves of growth.

## 2.2. Night extinction calculation and absolute photometric calibration

Only the third night (January 6, 1999) of the 1999 run was fully photometric. Viceversa, both nights in the 2001 run were photometric and with good seeing conditions. Since the 2001 run was definitely superior both for photometric quality and seeing, and since a much larger number of standard stars were observed, our entire photometric data set has been tied to the standard Johnson-Cousins photometric system through the absolute photometric calibration of the 2001 run.

The extinction coefficients for the nights were computed from observations of the standard stars in the selected areas PG0918 and SA98 (Landolt 1992). We used 7 bright standard stars in PG0918, with measurements at different airmasses ( $1.180 < \sec z < 1.626$ ) to estimate the extinction coefficients for the night of January 23, and 7 bright standard stars of SA98 with measurements at  $1.145 < \sec z < 2.028$ , to estimate the extinction for the night of January 24. The derived first order extinction coefficients are:  $K_V = 0.142 \pm 0.008$ ,  $K_B = 0.240 \pm 0.020$ , and  $K_i = 0.071 \pm 0.006$  for January 23;  $K_V = 0.123 \pm 0.005$ ,  $K_B = 0.220 \pm 0.009$ , and  $K_i = 0.052 \pm 0.010$  for January 24. These extinction coefficients well compare to the average ones for La Silla, as deduced from the relevant web pages.

Stetson (2000) has extended Landolt (1992) standard fields to a fainter magnitude limit, reaching  $V \sim 20$  mag. To transform to the standard Johnson-Cousins photometric system, we used Stetson (2000) standard star magnitudes, as available from the web site <http://cadwww.hia.nrc.ca/standards>, for a large number of standards in Landolt's fields PG0918+029, PG0231+051, PG1047+003, and SA98. We have verified that Stetson (2000) standard system reproduces very well the Johnson-Cousins standard system by Landolt (1992). In fact, if we restrict only to the original Landolt standards in each field, and derive the calibrating equations using both Landolt's and Stetson's values, the colour terms agree to the thousandth of magnitude both in  $B$  and  $V$ . In  $I$  there are two deviating stars, namely PG0231 for which Landolt's  $I$  magnitude is about 0.2 mag too bright, and SA98-1002 whose Landolt's  $I$  magnitude is about 0.02-

0.04 mag fainter. If these two stars are discarded, agreement to within a thousandth of magnitude is found for the  $I$  colour terms as well.

We measured magnitudes for 67 stars in these areas. However, since most of the new faint standard stars observed by Stetson (2000) only have  $V$  measurements, while the  $B$  and  $I$  database is still poor, only a subset of 27 stars with accurate standard magnitudes in all three photometric pass-bands of our interest were actually used in the calibration procedure. Aperture photometry magnitudes of these stars measured in the two nights of the 2001 run, corrected for the extinction appropriate to each night, were combined to derive the following calibration equations:

$$B - b = 0.111(\pm 0.032) \times (b - v) - 5.472$$


$$V - v = 0.021(\pm 0.017) \times (b - v) - 5.175$$

$$I - i = -0.023(\pm 0.025) \times (v - i) - 6.507$$

where  $B, V, I$  are in the Johnson-Cousins system, while  $b, v, i$  are the instrumental magnitudes. The calibration relations are based on 127 measurements in the two nights of the 2001 run of the restricted sample of 27 standard stars with magnitude and colours in the ranges  $12.773 < V < 17.729$ ,  $-0.273 < B - V < 1.936$ ,  $-0.304 < V - I < 2.142$ . Note that we adopted an iterative rejecting procedure, eliminating those objects that deviated more than  $2.5 \sigma$  (where  $\sigma$  is the standard deviation of the residuals) from the least square fit regression lines. Photometric zero points accuracies are of 0.02 mag in  $V$  and 0.03 mag in  $B$  and  $I$ , respectively.

## 2.3. Comparison between the 1999 and the 2001 photometries

Figure 2 shows the instrumental colour magnitude diagrams (CMDs) obtained from the photometric reductions of one  $V$  and one  $B$  frames of field A, from the 1999 and 2001 data sets respectively, using the various different packages employed in this study, namely DoPhot for the 1999 data set (left panel), DAOPHOT + ALLSTAR (central panel), and DAOPHOT + ALLSTAR + ALLFRAME (right panel) for the 2001 data set. The figure very well illustrates the superiority of the 2001 data and reduction procedures with respect to the 1999 ones. In particular, the increased number of objects and the fainter magnitude limit reached by the 2001 data in the central panel of Figure 2 is due predominantly to the better seeing and photometric conditions and the improved sensitivity of the CCD in run 2001, and in part to the better performances of the DAOPHOT reduction package with respect to DoPhot. The CMD in the right panel demonstrates the efficiency and superiority of the ALLFRAME package to resolve and measure faint stellar objects in crowded fields: the number of stars in the right panel of the figure is more than doubled and reaches one magnitude fainter than data shown in the other two panels. For these reasons



**Fig. 2.** Comparison between instrumental CMDs (all based on two frames) of the 1999 and 2001 datasets. Left panel: DoPhot reductions of the 1999 data; central panel: DAOPHOT+ALLSTAR reductions of the 2001 data; right panel: DAOPHOT+ALLSTAR+ALLFRAME reductions of the 2001 data.

all considerations about the CMDs have been based on the ALLFRAME reductions of the 2001 data (see C03).

### 3. Identification of the variable stars

Variable stars were identified on the 1999  $v$  and  $b$  instrumental time-series independently, using the program VARFIND, by P. Montegriffo. VARFIND performs the following actions: (i) normalizes the files containing measures of the fitted stars to a reference frame, using all stars in 1.5 magnitude bins about 2 magnitudes brighter than the expected average level of the RR Lyrae variables to determine mean frame-to-frame offsets with respect to the reference frames. As  $v$  and  $b$  reference frames we chose those taken in the best seeing and photometric conditions; (ii) computes the average magnitude of each star and its standard deviation by combining all frames in a given filter, using the offsets determined in step (i); (iii) displays the scatter diagrams of the average measurements, namely the standard deviations vs. average  $\langle v \rangle$  and  $\langle b \rangle$  plots from which candidate variables are identified thanks to their large  $rms$  and picked up interactively. In our scatter diagrams the RR Lyrae's and the Cepheids define very well distinct groups of stars with large  $rms$  values, respectively at  $18.6 < V < 19.8$  mag and  $15.1 < V < 16.6$  mag; (iv) extracts the time-series sequence of each candidate variable and of its selected reference stars (see below).

The search procedure was repeated several times, subsequently lowering the detection threshold. Stars whose standard deviations of the  $v$  and  $b$  measurements were larger than  $3\sigma$ , where  $\sigma$  is the rms of *bona-fide* non-variable stars at same magnitude level, were flagged as candidate variables and closely inspected for variability using the program GRATIS (GRaphical Analyzer of TIme Series) a private software developed at the Bologna Observatory by P. Montegriffo, G. Clementini and L. Di Fabrizio. This code, directly interfaced to VARFIND, allows to display the sequence of differential measurements of the object with respect to the selected reference stable

stars, as a function of the Heliocentric Julian day of observation, and to perform a period search on these data (see below). A total number of 1165 and 747 objects were checked for variability in fields A and B, respectively. We are confident that our identification of the RR Lyrae stars is rather complete, and we will come back to this point in Sections 3.2 and 5.

Variable stars were then counteridentified on the 2001 frames using private software by P. Montegriffo. A few further variables originally missed by the search on the 1999 data were recovered in the comparison with MACHO and OGLE II datasets (see Section 4). In the end the two fields were found to contain a total number of 162 short period variable stars ( $P < 7$  days), mainly of RR Lyrae type (125 single-mode and 10 double-mode, one of which not previously known from A97; see Section 5.1), and an additional 8 candidate variable objects: 5 possible binary systems, 1 possible *ab*-type RR Lyrae, and 2 other variables that we were not able to classify.

The number of variables divided by type and field is given in Table 2. Finding charts for all the variables are

**Table 2.** Number and type of variables identified in the two fields

| Type                | Field A | Field B | Total |
|---------------------|---------|---------|-------|
| RRab                | 52      | 35      | 87    |
| RRc                 | 20      | 18      | 38    |
| RRd                 | 6       | 4       | 10    |
| Anomalous Cepheid   | 3       | 1       | 4     |
| Cepheids            | 10      | 1       | 11    |
| Binaries            | 6       | 5       | 11    |
| $\delta$ Scuti      | 1       | —       | 1     |
| Total               | 98      | 64      | 162   |
| Candidate variables | 5       | 3       | 8     |

provided in Figures 3 to 10, where each field is divided in 4 quadrants  $6.8' \times 6.8'$  large (subfields A1, A2, A3, A4, and B1, B2, B3, B4, respectively), which correspond to the pre-imaging fields of our spectroscopic study with FORS1 at the VLT (see G04). There is some overposition at the centre of the each set of 4 quadrants and a few objects appear twice. RR Lyrae stars are marked by red open circles in the electronic version of the finding charts, the other variables are in blue. Two RR Lyrae stars fall outside the FORS fields and are shown separately in Figure 11.

#### 3.1. Period search and average quantities

All variables were studied using their differential photometry with respect to two stable, well isolated objects used as reference stars, whose constancy was carefully checked on the full 1999-2001 data set. Coordinates and calibrated magnitudes of the reference stars from the 2001 photometry are given in Table 3. Errors quoted in the table include both the internal error contribution given by ALLFRAME (about 0.005 mag in  $V$  and  $I$ , and 0.004 mag in  $B$ ), and

the systematic errors in the transformation to the standard system (which include uncertainties of the aperture corrections: about 0.02 mag in  $V$  and  $I$  and 0.03 mag in  $B$ , and the zero points of the photometric calibration:  $\pm 0.02$  mag in  $V$ , and  $\pm 0.03$  mag in  $B$  and  $I$ , see Section 2.2).

Note that in a preliminary analysis, variables were studied using their differential photometry with respect to a larger number of comparison stars selected in each field (namely four stars per field). However, since results were very much the same in the final study we used just one star per field, namely in each field the star with most accurate magnitude determinations and with colours better matching the RR Lyrae's average colour. This procedure minimize any colour effect on the differential light curves and amplitudes of the variable stars, due to the colour of the comparison stars and the different colour response of the detectors used in the two runs.

In order to define the periodicities we run GRATIS on the instrumental differential photometry of the variable stars. GRATIS performs a period search according to two different algorithms: (a) the Lomb periodogram (Lomb 1976, Scargle 1982) and (b) the best-fit of the data with a truncated Fourier series (Barning 1962). We first performed the Lomb analysis on a wide period interval. Then the Fourier algorithm was used to refine the period definition and to find the best fitting model from which to measure the amplitude and average luminosity of each variable. The period search employed each of the complete (1999+2001)  $\Delta b$ ,  $\Delta v$ , and  $\Delta i$  data-sets. We derived periods and epochs accurate to the third-fourth decimal place for all the variable in our sample, well sampled the  $B$  and  $V$  light curves for about 95% of the RR Lyrae stars, and detected the Blazhko modulation of the light curve (Blazhko 1907) in about 17% of the RRab's and 5.3% of the RRC's (see Section 5). Complete coverage of the light variation was also obtained for 4 candidate Anomalous Cepheids (see Section 3.2), for 9 eclipsing binaries with short orbital period ( $P < 1.4$  days), and for 6 of the Cepheids. GRATIS also performs a search for multiple periodicities, and was run on the data of the 10 double-mode variables falling in our two fields, 9 in A97 and 1 newly discovered. However, our data sampling for these stars is inadequate to allow a very accurate derivation of the double-mode periodicities: on this particular aspect, the very extensive data set collected by MACHO and OGLE II are clearly superior to ours.

Best fitting models of the light variation were computed for all variables with full light curve coverage, using GRATIS. These models are based on Fourier series, with the number of harmonics generally varying from 1 to 5 for the  $c$ -type RR Lyrae's, and from 4 to 12 for the  $ab$ -type variables. Intensity-average differential  $\langle \Delta v \rangle$ ,  $\langle \Delta b \rangle$ , and  $\langle \Delta i \rangle$  magnitudes were derived for all the variables with complete light curves as the integral over the entire pulsation cycle of the models best fitting the observed data. By adding the instrumental magnitudes of the reference stars, we obtained the  $b$ ,  $v$ ,  $i$  mean instrumental magnitudes of the variables, and the mean  $B$ ,  $V$ ,

$I$  magnitudes in the Johnson-Cousins system were calculated using the calibration equations given in Section 2.2 and the aperture corrections in Section 2.1.

Average residuals from the best fitting models for RR Lyrae's with well sampled light curves are 0.02-0.03 mag in  $V$  and 0.03-0.04 mag in  $B$  for the single-mode, non Blazhko variables, and 0.05-0.10 in  $V$  and 0.06-0.12 in  $B$  for the double-mode stars. The lower accuracy of the  $B$  light curves is because the RR Lyrae stars are intrinsically fainter in this passband.

The individual  $B, V, I$  photometric measurements of the variables are provided in Table 4. For each star we indicate the star identification number, the field where the star is located, the variable type, Heliocentric Julian Day of observations and corresponding  $V, B, I$  magnitudes.

**Table 4.**  $V, B, I$  photometry of the variable stars

| Star #2525 - Field A - RRab |        |            |        |            |        |
|-----------------------------|--------|------------|--------|------------|--------|
| HJD                         | $V$    | HJD        | $B$    | HJD        | $I$    |
| (-2451183)                  |        | (-2451183) |        | (-2451933) |        |
| 0.623172                    | 19.708 | 0.626309   | 20.227 | 0.580303   | 18.666 |
| 0.630545                    | 19.741 | 0.634897   | 20.243 | 0.608358   | 18.591 |
| 0.660672                    | 19.738 | 0.666204   | 20.047 | 0.633786   | 18.731 |
| 0.670556                    | 19.558 | 0.685707   | 19.517 | 0.683115   | 18.799 |
| 0.681100                    | 19.231 | 0.704341   | 19.193 | 0.708370   | 18.712 |
| 0.690070                    | 19.120 | 0.722720   | 19.010 | 0.757143   | 19.024 |
| 0.699977                    | 19.006 | 0.747280   | 19.057 | 0.784249   | 19.127 |
| 0.708693                    | 18.863 | 0.766320   | 19.206 | 1.574978   | 18.922 |
| 0.718368                    | 18.831 | 0.785521   | 19.278 | 1.600522   | 18.922 |
| 0.727072                    | 18.759 | 0.807245   | 19.430 | 1.625198   | 18.970 |

A portion of Table 4 is shown here for guidance regarding its form and content. The entire catalogue is available only electronically at CDS.

In Table 5 and 6 we summarize the main characteristics of the variables for stars in field A and B, separately. Namely we list: identifier, coordinates ( $\alpha$  and  $\delta$ ) at the 2000 equinox, variable star type, period, heliocentric Julian day (HJD) of maximum light for the pulsating variables (RR Lyrae's, Cepheids and  $\delta$  Scuti) and of the primary (deeper) minimum light for the eclipsing binaries, number of data-points on the  $V, B, I$  light curves,  $V, B, I$  mean magnitudes and amplitudes of the light curves, computed as the difference between maximum and minimum of the best fitting models, for the variable stars with complete coverage of the light variation. At the bottom of each table we also give informations on the candidate variables. The atlas of light curves is presented in the Appendix.

The average apparent luminosities of the RR Lyrae stars with full coverage of the light curve and without shifts between the 1999 and 2001 photometry are  $\langle V \rangle = 19.417 \pm 0.019$  ( $\sigma = 0.154$ , 67 stars),  $\langle B \rangle = 19.816 \pm 0.021$  ( $\sigma = 0.171$ , 67 stars) in field A, and  $\langle V \rangle = 19.318 \pm 0.022$  ( $\sigma = 0.157$ , 49 stars),  $\langle B \rangle = 19.678 \pm 0.023$  ( $\sigma = 0.159$ , 49 stars) in field B. These values (the  $V$  average luminosities in particular) are fully consistent with those presented in C03. We refer to this paper for an in-depth discussion of their implications on the distance to the LMC and related issues. We also recall that our average luminosities for the field LMC RR Lyrae stars are in very good agreement with Walker (1992) mean apparent luminosity of the RR





**Table 3.** Coordinates and magnitudes of the comparison stars


| Id      | $\alpha_{2000}$ | $\delta_{2000}$ | $V$                | $n_V$ | $B$                | $n_B$ | $I$                | $n_I$ |
|---------|-----------------|-----------------|--------------------|-------|--------------------|-------|--------------------|-------|
| Field A |                 |                 |                    |       |                    |       |                    |       |
| 1253    | 5 22 57.93      | -70 31 31.96    | 16.889 $\pm$ 0.026 | 14    | 17.575 $\pm$ 0.045 | 14    | 16.102 $\pm$ 0.025 | 14    |
| Field B |                 |                 |                    |       |                    |       |                    |       |
| 128     | 5 16 29.75      | -71 01 46.62    | 16.194 $\pm$ 0.023 | 15    | 16.888 $\pm$ 0.037 | 14    | 15.410 $\pm$ 0.035 | 14    |

Lyrae stars in the LMC globular clusters (see Section 6 of C03).


It has often been argued on the better way to compute the average magnitude of a variable star and on the colour that better represents the temperature of an RR Lyrae star (Sandage 1990, 1993; Carney, Storm & Jones 1992; Bono, Caputo & Stellingwerf 1995). The average magnitudes of the variable stars in Tables 5 and 6 were computed in two different ways, as intensity-averaged means (Columns 8,9,10) and as magnitude-averaged means (Columns 11,12,13). Based on theoretical grounds it has been claimed that large differences may exist between these two different types of averages, and that for RR Lyrae stars the difference may be as large as 0.1-0.2 mag in  $V$  and  $B$ , respectively (Bono et al. 1995). In Figure 12 we plot the differences between the two types of averages for star in Field A and B separately. Magnitude-averaged mean magnitudes are generally fainter than the intensity-averaged mean magnitudes, and the differences increase for fainter magnitudes. However, they are generally small and only in a few cases exceed 0.1 mag. At the luminosity level of the RR Lyrae stars the average differences are  $\langle V_{mag} - V_{int} \rangle = 0.020$ ,  $\langle B_{mag} - B_{int} \rangle = 0.035$  and  $\langle I_{mag} - I_{int} \rangle = 0.010$  for stars in Field A, and 0.022, 0.042, and 0.011 mag for stars in Field B.

Figures 13 and 14 show the position of the various types of variables in the  $V, B - V$  CMDs of Field A and B.


**Fig. 3.** LMC sub-field A1 ( $6.8' \times 6.8'$ ), North-East quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 5.**Fig. 4.** FORS1 LMC sub-field A4 ( $6.8' \times 6.8'$ ), South-East quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 5.




**Fig. 5.** FORS1 LMC sub-field A2 ( $6.8' \times 6.8'$ ), North-West quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 5.



**Fig. 7.** FORS1 LMC sub-field B1 ( $6.8' \times 6.8'$ ), North-East quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 6.




**Fig. 6.** FORS1 LMC sub-field A3 ( $6.8' \times 6.8'$ ), South-West quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 5.




**Fig. 8.** FORS1 LMC sub-field B4 ( $6.8' \times 6.8'$ ), South-East quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 6.






**Fig. 9.** FORS1 LMC sub-field B2 ( $6.8' \times 6.8'$ ), North-West quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 6.



**Fig. 11.** Left panel: finding chart of the *ab*-type RR Lyrae star # 3805, which is located slightly outside sub-field A4 in the East direction. Right panel: finding chart of the *c*-type RR Lyrae star # 1387, which is located slightly outside sub-field B4 in the South/East direction. Both maps show a  $40 \times 40$  arcsec area, North is up and East is left.



**Fig. 10.** FORS1 LMC sub-field B3 ( $6.8' \times 6.8'$ ), South-West quadrant. North is up and East is left. Variables are marked by open circles. Identification numbers are as in Table 6.

**Table 5.** Informations and average quantities for the variable stars in field A.

| Id    | $\alpha$<br>(2000) | $\delta$<br>(2000) | Type | P<br>(days) | Epoch<br>(-2400000) | Np<br>(V,B,I) | $\langle V_{int} \rangle$<br>(mag) | $\langle B_{int} \rangle$<br>(mag) | $\langle I_{int} \rangle$<br>(mag) | $\langle V_{mag} \rangle$<br>(mag) | $\langle B_{mag} \rangle$<br>(mag) | $\langle I_{mag} \rangle$<br>(mag) | $A_V$<br>(mag) | $A_B$<br>(mag) | $A_I$<br>(mag) | Notes |              |
|-------|--------------------|--------------------|------|-------------|---------------------|---------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|----------------|----------------|----------------|-------|--------------|
| 1731  | 5:23:38.69         | -70:31:08.17       | ab   | 0.58245     | 51183.63490         | 6,14,-        | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | -              | 1.100:-        | -              | -     | Incomplete   |
| 2525  | 5:23:32.39         | -70:39:15.34       | ab   | 0.61615     | 51933.57692         | 69,41,-       | 19.340                             | 19.764                             | -                                  | 19.376                             | 19.826                             | -                                  | 0.991          | 1.272          | -              | -     |              |
| 2767  | 5:23:17.70         | -70:38:55.90       | ab   | 0.53106     | 51183.52271         | 64,33,-       | 19.467                             | 19.874                             | 19.074                             | 19.517                             | 19.962                             | -                                  | 1.091          | 1.363          | -              | -     |              |
| 3061  | 5:23:25.13         | -70:38:28.94       | ab   | 0.47622     | 51182.69038         | 66,41,11      | 19.631                             | 19.220                             | 19.679                             | 19.679                             | 20.121                             | 19.089                             | 0.809          | 1.093          | 0.765          | -     | Blazhko      |
| 3805  | 5:24:04.69         | -70:37:18.42       | ab   | 0.62740     | 51185.78000         | 60,37,10      | 19.402                             | 19.866                             | 18.850                             | 19.415                             | 19.889                             | 18.848                             | 0.623          | 0.805          | 0.345          | -     |              |
| 3948  | 5:22:40.34         | -70:37:16.96       | ab   | 0.66656     | 51182.61069         | 69,40,14      | 19.292                             | 19.686                             | 18.628                             | 19.331                             | 19.757                             | 18.647                             | 0.959          | 1.287          | 0.654          | -     | Blazhko?,(a) |
| 4313  | 5:21:33.88         | -70:36:52.65       | ab   | 0.64222     | 51933.55000         | 54,33,9       | 19.270                             | 19.779                             | 18.451                             | 19.276                             | 19.791                             | 18.488                             | 0.356          | 0.454          | -              | -     |              |
| 4933  | 5:22:29.99         | -70:35:53.61       | ab   | 0.61350     | 51182.85143         | 65,32,13      | 19.103                             | 19.531                             | 19.127                             | 19.572                             | 18.546                             | 0.793                              | 1.044          | 0.442          | -              | -     | Blazhko?     |
| 4974  | 5:22:51.21         | -70:35:47.69       | ab   | 0.58069     | 51933.57692         | 69,41,11      | 19.384                             | 19.809                             | 18.778                             | 19.406                             | 19.850                             | 18.801                             | 0.764          | 1.039          | 0.482          | -     |              |
| 5106  | 5:22:14.40         | -70:37:43.54       | ab   | 0.56476     | 51183.84000         | 46,29,12      | 18.820                             | 18.939                             | 18.587                             | 18.827                             | 18.952                             | 18.596                             | 0.391:         | 0.565:         | 0.455::        | -     | Blend        |
| 5148  | 5:22:20.87         | -70:35:34.08       | ab   | 0.56862     | 51186.68716         | 71,39,12      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | -              | -              | -              | -     | (b)          |
| 5167  | 5:21:59.65         | -70:35:34.99       | ab   | 0.63023     | 51934.57159         | 64,33,11      | 19.359                             | 19.837                             | 18.808                             | 19.373                             | 19.864                             | 18.822                             | 0.570          | 0.765          | 0.550:         | -     |              |
| 5331  | 5:23:15.30         | -70:35:14.46       | ab   | 0.58234     | 51185.61000         | 32,21,14      | 19.673                             | 20.079                             | 19.103                             | 19.696                             | 20.133                             | 19.107                             | 0.932::        | 1.192          | 0.322          | -     |              |
| 5452  | 5:23:51.03         | -70:35:01.06       | ab   | 0.67849     | 51933.62602         | 67,38,12      | 19.296                             | 19.799                             | -                                  | 19.309                             | 19.812                             | -                                  | 0.589          | 0.569          | -              | -     |              |
| 5589  | 5:22:09.54         | -70:35:02.50       | ab   | 0.63648     | 51934.60800         | 59,33,11      | 19.574                             | 20.079                             | 18.942                             | 19.578                             | 20.089                             | 18.949                             | 0.364          | 0.417          | 0.391:         | -     | Blazhko?     |
| 6398  | 5:22:40.71         | -70:33:50.18       | ab   | 0.56026     | 51182.78609         | 70,41,12      | 19.317                             | 19.745                             | 18.730                             | 19.347                             | 18.802                             | 18.736                             | 0.883          | 1.156          | 0.561          | -     |              |
| 6426  | 5:22:32.47         | -70:33:48.73       | ab   | 0.66224     | 51182.78094         | 70,41,14      | 19.185                             | 19.584                             | 18.555                             | 19.227                             | 19.660                             | 18.569                             | 1.045          | 1.312          | 0.707          | -     |              |
| 7211  | 5:22:21.12         | -70:32:43.96       | ab   | 0.51978     | 51182.97180         | 67,36,14      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.875::        | 1.377::        | 0.655:::       | -     | Incomplete   |
| 7247  | 5:23:25.53         | -70:32:33.45       | ab   | 0.56171     | 51182.56088         | 70,40,14      | 19.408                             | 19.795                             | 18.857                             | 19.429                             | 19.835                             | 18.852                             | 0.714          | 0.865          | 0.422          | -     |              |
| 7325  | 5:23:39.08         | -70:32:24.81       | ab   | 0.48677     | 51183.68571         | 68,40,13      | 19.435                             | 19.845                             | 18.893                             | 19.479                             | 19.927                             | 18.906                             | 1.131          | 1.449          | 0.677          | -     |              |
| 7468  | 5:22:30.00         | -70:32:20.56       | ab   | 0.63550     | 51182.79217         | 62,37,12      | 19.615                             | 20.126                             | 18.850                             | 19.622                             | 20.142                             | 18.855                             | 0.492          | 0.692          | 0.304:         | -     |              |
| 7477  | 5:24:02.92         | -70:32:08.60       | ab   | 0.65641     | 51183.08070         | 69,40,14      | 19.183                             | 19.552                             | 18.670                             | 19.249                             | 19.628                             | 18.695                             | 1.108          | 1.371          | 0.730          | -     |              |
| 7609  | 5:23:48.34         | -70:32:00.33       | ab   | 0.57336     | 51182.80975         | 65,38,14      | 19.313                             | 19.699                             | -                                  | 19.340                             | 19.751                             | -                                  | 0.788          | 1.004          | -              | -     |              |
| 7734  | 5:22:07.82         | -70:31:59.83       | ab   | 0.61699     | 51183.25568         | 53,24,-       | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.502          | 0.661          | -              | -     | (c)          |
|       |                    |                    |      |             |                     | 13,14,10      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.519          | 0.673          | 0.311          | -     |              |
| 8094  | 5:22:43.00         | -70:31:23.70       | ab   | 0.74575     | 51182.23076         | 60,40,13      | 19.353                             | 19.891                             | 18.676                             | 19.360                             | 19.908                             | 18.682                             | 0.452          | 0.644          | 0.323          | -     |              |
| 8220  | 5:22:52.79         | -70:31:11.11       | ab   | 0.67684     | 51182.92564         | 70,41,12      | 19.469                             | 19.920                             | 18.770                             | 19.483                             | 19.949                             | 18.780                             | 0.608          | 0.829          | 0.382          | -     |              |
| 8720  | 5:23:50.14         | -70:30:16.73       | ab   | 0.65767     | 51934.68800         | 66,38,14      | 19.129                             | 19.489                             | 18.590                             | 19.185                             | 19.584                             | 18.607                             | 1.163          | 1.447          | 0.760          | -     |              |
| 8788  | 5:23:22.35         | -70:30:14.64       | ab   | 0.55960     | 51183.01548         | 70,41,14      | 19.444                             | 19.844                             | -                                  | 19.482                             | 19.916                             | -                                  | 0.939          | 1.240          | 0.830:::       | -     | Blazhko      |
| 9154  | 5:23:02.88         | -70:29:44.63       | ab   | 0.61981     | 51933.61768         | 67,40,11      | 19.552                             | 20.032                             | 18.931                             | 19.569                             | 20.059                             | 18.933                             | 0.662          | 0.755          | 0.255          | -     | Blazhko,(d)  |
|       |                    |                    |      |             |                     | 53,26,-       | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.759          | 0.913          | -              | -     |              |
|       |                    |                    |      |             |                     | 14,14,11      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.384          | 0.478          | 0.263::        | -     |              |
| 9245  | 5:23:07.61         | -70:29:36.50       | ab   | 0.55980     | 51182.81277         | 65,38,12      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.706          | 0.948          | 0.402::        | -     | (e)          |
| 9494  | 5:22:49.20         | -70:29:13.50       | ab   | 0.57860     | 51185.74736         | 69,40,12      | 19.217                             | 19.584                             | -                                  | 19.266                             | 19.674                             | -                                  | 1.150          | 1.410          | -              | -     |              |
| 9660  | 5:23:05.71         | -70:28:56.83       | ab   | 0.62181     | 51183.68200         | 67,41,14      | 19.392                             | 19.862                             | 18.795                             | 19.407                             | 19.890                             | 18.796                             | 0.669          | 0.811          | 0.312          | -     |              |
| 10214 | 5:21:31.10         | -70:28:12.01       | ab   | 0.59994     | 51934.74600         | 60,32,10      | 19.204                             | 19.639                             | -                                  | 19.217                             | 19.665                             | -                                  | 0.633          | 0.824          | -              | -     |              |
| 10487 | 5:22:24.55         | -70:27:40.52       | ab   | 0.58957     | 51182.40810         | 54,38,12      | 19.569                             | 20.022                             | 18.886                             | 19.603                             | 20.073                             | 18.896                             | 0.913          | 1.106          | 0.603          | -     |              |
| 12896 | 5:22:46.09         | -70:38:54.95       | ab   | 0.57368     | 51185.65865         | 71,37,12      | 19.589                             | 20.027                             | 18.955                             | 19.620                             | 20.087                             | 18.964                             | 0.911          | 1.248          | 0.691          | -     |              |
| 15371 | 5:22:41.56         | -70:37:07.14       | ab   | 0.58712     | 51185.66370         | 31,28,12      | 19.460                             | 19.874                             | 18.557                             | 19.480                             | 19.936                             | 18.605                             | 0.929          | 1.201          | 0.957          | -     |              |
| 15387 | 5:21:30.38         | -70:37:11.30       | ab   | 0.55983     | 51933.58300         | 58,30,5       | 19.612                             | 20.043                             | -                                  | 19.630                             | 20.075                             | -                                  | 0.705          | 0.839:-        | -              | -     |              |
| 16249 | 5:22:08.22         | -70:36:31.00       | ab   | 0.60475     | 51183.72300         | 71,41,13      | 19.378                             | 19.759                             | 18.844                             | 19.430                             | 19.837                             | 18.847                             | 1.118          | 1.403          | 0.360          | -     | Blazhko,(d)  |
|       |                    |                    |      |             |                     | 57,27,-       | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 1.252          | 1.500          | -              | -     |              |
|       |                    |                    |      |             |                     | 14,14,13      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.764          | 1.090          | 0.337:         | -     |              |
| 18314 | 5:22:49.08         | -70:34:59.12       | ab   | 0.58711     | 51183.17420         | 70,41,13      | 19.410                             | 19.790                             | 18.815                             | 19.459                             | 19.793                             | 18.835                             | 1.120          | 1.426          | 0.719          | -     |              |
| 19450 | 5:23:37.89         | -70:34:06.71       | ab   | 0.39792     | 51182.55700         | 70,41,14      | 19.662                             | 19.983                             | 19.286                             | 19.737                             | 20.116                             | 19.324                             | 1.344          | 1.709          | 1.098          | -     |              |
| 19711 | 5:22:38.14         | -70:34:02.02       | ab   | 0.55296     | 51181.77241         | 29,18,14      | 19.200                             | 19.535                             | 18.607                             | 19.244                             | 19.606                             | 18.617                             | 0.961          | 1.148          | 0.756          | -     |              |
| 21007 | 5:22:18.85         | -70:33:10.84       | ab   | 0.75730     | 51933.80000         | 14,13,8       | 19.319                             | 19.841                             | 18.487                             | 19.323                             | 19.851                             | 18.488                             | 0.340          | 0.456          | 0.162          | -     |              |
| 25301 | 5:21:33.95         | -70:30:24.47       | ab   | 0.56059     | 51182.71139         | 63,32,12      | 19.766                             | 20.237                             | -                                  | 19.805                             | 20.317                             | -                                  | 1.005          | 1.359          | -              | -     |              |
| 25362 | 5:23:38.48         | -70:30:08.55       | ab   | 0.57746     | 51182.73348         | 70,41,14      | 19.443                             | 19.816                             | 18.764                             | 19.488                             | 19.903                             | 18.785                             | 1.078          | 1.466          | 0.671::        | -     |              |
| 25510 | 5:22:13.37         | -70:30:11.50       | ab   | 0.64956     | 51183.78150         | 64,38,11      | 19.150                             | 19.614                             | 18.554                             | 19.160                             | 19.631                             | 18.561                             | 0.609          | 0.707          | 0.417          | -     | Blazhko?     |
| 26525 | 5:21:52.45         | -70:29:28.68       | ab   | 0.52288     | 51186.67057         | 66,37,14      | 19.473                             | 19.913                             | -                                  | 19.507                             | 19.991                             | -                                  | 0.863          | 1.269          | -              | -     |              |
| 26821 | 5:21:53.90         | -70:29:17.47       | ab   | 0.58755     | 51185.75937         | 65,39,13      | 19.624                             | 20.097                             | 19.097                             | 19.644                             | 20.132                             | 19.104                             | 0.752          | 0.989          | 0.473          | -     |              |
| 26933 | 5:23:53.78         | -70:28:59.71       | ab   | 0.48829     | 51186.66446         | 59,35,14      | 19.295                             | 19.577                             | 18.750                             | 19.355                             | 19.679                             | 18.754                             | 1.188          | 1.490          | 0.791          | -     |              |
| 28066 | 5:23:30.05         | -70:28:11.07       | ab   | 0.59975     | 51933.60857         | 51,24,-       | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.496          | 0.666          | -              | -     | (f)          |
|       |                    |                    |      |             |                     | 13,14,12      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.503          | 0.629          | 0.326          | -     |              |
| 28246 | 5:22:14.65         | -70:28:06.71       | ab   | 0.47777     | 51934.62544         | 15,32,10      | 19.605                             | 20.030                             | 19.144                             | 19.660                             | 20.106                             | 19.182                             | 1.270          | 1.543          | 1.023          | -     |              |
| 28293 | 5:21:46.08         | -70:28:13.20       | ab   | 0.66148     | 51186.76300         | 56,24,7       | 19.520                             | 20.053                             | -                                  | 19.524                             | 20.062                             | -                                  | 0.403          | 0.553          | 0.472:::       | -     | (g)          |
| 28539 | 5:23:55.73         | -70:27:48.61       | ab   | 0.61388     | 51934.75195         | 68,36,11      | 19.533                             | 19.916                             | 18.796                             | 19.592                             | 20.028                             | 18.815                             | 1.149          | 1.495          | 0.707          | -     |              |
| 2024  | 5:23:10.96         | -70:40:03.33       | c    | 0.36008     | 51933.70166         | 72,40, 8      | 19.500                             | 19.876                             | 19.165                             | 19.513                             | 19.893                             | 19.177                             | 0.509          | 0.606          | 0.455          | -     |              |
| 2119  | 5:22:22.20         | -70:39:59.98       | c    | 0.26526     | 51934.60511         | 64,39,10      | 19.659                             | 19.986                             | 19.407                             | 19.663                             | 19.990                             | 19.421                             | 0.297          | 0.354          | 0.479:::       | -     |              |
| 2223  | 5:22:16.48         | -70:39:50.18       | c    | 0.28784     | 51934.58000         | 67,36,10      | 19.556                             | 19.836                             | 19.136                             | 19.568                             | 19.856                             | 19.145                             | 0.493          | 0.604          | 0.499          | -     | (f)          |
| 2234  | 5:23:01.41         | -70:39:44.47       | c    | 0.32280     | 51933.74938         | 38,26,-       | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.531          | 0.664          | -              | -     |              |
|       |                    |                    |      |             |                     | 14,14,12      | -                                  | -                                  | -                                  | -                                  | -                                  | -                                  | 0.425          | 0.584          | 0.389          | -     |              |
| 2623  | 5:22:45.59         | -70:39:11.37       | c    | 0.29130     | 51183.62631         | 65,40,13      | 19.368                             | 19.631                             | 19.046                             | 19.379                             | 19.649                             | 19.057                             | 0.441          | 0.595          | 0.454          | -     |              |
| 2636  | 5:23:09.26         | -70:39:08.61       | c    | 0.31611     | 51934.76812         | 69,40,7       | 19.595                             | 19.896                             | 19.080                             | 19.605                             | 19.919                             | 19.083                             | 0.464          | 0.633          | 0.234          | -     |              |
| 3216  | 5:21:57.05         | -70:38:25.85       | c    | 0.21824     | 51185.76536         | 67,39,-       |                                    |                                    |                                    |                                    |                                    |                                    |                |                |                |       |              |

Table 5: - continued -

| Id    | $\alpha$<br>(2000) | $\delta$<br>(2000) | Type       | P<br>(days)        | Epoch<br>(-2400000) | Np<br>(V,B,I)                  | $\langle V_{\text{int}} \rangle$<br>(mag) | $\langle B_{\text{int}} \rangle$<br>(mag) | $\langle I_{\text{int}} \rangle$<br>(mag) | $\langle V_{\text{mag}} \rangle$<br>(mag) | $\langle B_{\text{mag}} \rangle$<br>(mag) | $\langle I_{\text{mag}} \rangle$<br>(mag) | $A_V$<br>(mag)          | $A_B$<br>(mag)          | $A_I$<br>(mag)       | Notes        |
|-------|--------------------|--------------------|------------|--------------------|---------------------|--------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------|-------------------------|----------------------|--------------|
| 6415  | 5:24:03.13         | -70:33:38.44       | c          | 0.44299            | 51186.74600         | 64,38,12                       | 19.206                                    | 19.573                                    | 18.713                                    | 19.215                                    | 19.583                                    | 18.715                                    | 0.438                   | 0.473                   | 0.229                |              |
| 7231  | 5:23:22.37         | -70:32:35.39       | c          | 0.32349            | 51183.11007         | 66,36,14                       | 19.322                                    | 18.643                                    | 18.861                                    | 19.331                                    | 19.664                                    | 18.664                                    | 0.413                   | 0.607                   | 0.287                |              |
| 7864  | 5:23:39.20         | -70:31:38.15       | c          | 0.31347            | 51182.78235         | 67,39,14                       | 19.464                                    | 19.774                                    | 19.047                                    | 19.475                                    | 19.792                                    | 19.050                                    | 0.433                   | 0.545                   | 0.233                |              |
| 8622  | 5:22:28.87         | -70:30:35.86       | c          | 0.32082            | 51934.69553         | 66,39,14                       | 19.542                                    | 19.868                                    | 19.103                                    | 19.552                                    | 19.887                                    | 19.108                                    | 0.429                   | 0.628                   | 0.307                |              |
| 8812  | 5:22:26.38         | -70:30:19.05       | c          | 0.35485            | 51182.82224         | 69,41,14                       | 19.397                                    | 19.767                                    | 18.821                                    | 19.410                                    | 19.791                                    | 18.829                                    | 0.515                   | 0.626                   | 0.396                |              |
| 8837  | 5:22:45.64         | -70:30:14.33       | c          | 0.31629            | 51182.66999         | 64,41,14                       | 19.566                                    | 19.905                                    | 19.057                                    | 19.580                                    | 19.927                                    | 19.061                                    | 0.501                   | 0.631                   | 0.328                |              |
| 10113 | 5:24:00.31         | -70:28:06.22       | c          | 0.35231            | 51186.78595         | 69,40,14                       | 19.486                                    | 19.878                                    | 18.891                                    | 19.494                                    | 19.894                                    | 18.895                                    | 0.415                   | 0.535                   | 0.321                |              |
| 10360 | 5:23:45.34         | -70:27:44.11       | c          | 0.27926            | 51934.58000         | 53,26,-<br>13,13,13            | -<br>-                                    | -<br>-                                    | -<br>19.199                               | -<br>-                                    | -<br>-                                    | -<br>19.201                               | 0.431<br>0.363          | 0.541<br>0.507          | -<br>0.203           | (f)          |
| 26715 | 5:21:29.21         | -70:29:23.32       | c          | 0.35646            | 51182.69358         | 52,25,-                        | 19.378                                    | 19.725                                    | -                                         | 19.388                                    | 19.746                                    | -                                         | 0.486                   | 0.678                   | -                    | (l)          |
| 27697 | 5:22:13.98         | -70:28:34.98       | c          | 0.38293            | 51184.64328         | 66,39,-<br>53,25,-<br>13,14,11 | 19.166                                    | 19.541                                    | 18.744                                    | 19.174                                    | 19.554                                    | 18.746                                    | 0.396<br>0.380<br>0.485 | 0.471<br>0.486<br>0.513 | -<br>-<br>0.229:     | Blazhko?,(m) |
| 28665 | 5:22:06.49         | -70:27:55.55       | c          | 0.30047            | 51183.77067         | 64,38,-<br>52,25,-<br>12,13,12 | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-                                    | -<br>-                                    | -<br>-                                    | -<br>19.270                               | 0.348<br>0.336<br>0.422 | 0.536<br>0.553<br>0.564 | -<br>0.229:<br>0.342 | (n)          |
| 2249  | 5:21:33.31         | -70:39:51.28       | d          | 0.30731            | 51182.99235         | 70,41,12                       | 19.372                                    | 19.704                                    | 18.878                                    | 19.389                                    | 19.729                                    | 18.903                                    | 0.600                   | 0.709                   | 0.744::              |              |
| 3155  | 5:22:35.25         | -70:38:28.39       | d          | 0.38161<br>0.38141 | 51934.66700         | 66,40,14                       | 19.209                                    | 19.577                                    | 18.792                                    | 19.218                                    | 19.598                                    | 18.803                                    | 0.419                   | 0.664                   | 0.496                |              |
| 4420  | 5:22:44.66         | -70:36:35.68       | d          | 0.35989            | 51182.65973         | 72,41,14                       | 19.409                                    | 19.726                                    | 18.784                                    | 19.417                                    | 19.740                                    | 18.794                                    | 0.419                   | 0.554                   | 0.432                |              |
| 7137  | 5:23:37.64         | -70:32:41.42       | d          | 0.34301            | 51934.60052         | 72,40,14                       | 19.413                                    | 19.736                                    | -                                         | 19.420                                    | 19.750                                    | -                                         | 0.413                   | 0.557                   | 0.424                |              |
| 8654  | 5:23:15.72         | -70:30:27.24       | d          | 0.34544            | 51183.77084         | 66,35,12                       | 19.269                                    | 19.651                                    | 18.848                                    | 19.275                                    | 19.658                                    | 18.849                                    | 0.475                   | 0.817                   | 0.113                |              |
| 23032 | 5:21:33.40         | -70:31:57.24       | d          | 0.34226            | 51182.93313         | 71,39,13                       | 19.597                                    | 19.993                                    | -                                         | 19.682                                    | 20.081                                    | -                                         | 0.693                   | 0.935                   | -                    |              |
| 28114 | 5:22:35.51         | -70:28:15.66       | $\delta$ S | 0.11268            | 51183.63220         | 69,40,11                       | 19.940                                    | 20.273                                    | -                                         | 19.943                                    | 20.280                                    | -                                         | 0.280                   | 0.388                   | 0.185                |              |
| 9578  | 5:23:52.36         | -70:28:57.87       | AC         | 0.54758            | 51186.81780         | 62,34,12                       | 18.626                                    | 19.277                                    | 17.789                                    | 18.620                                    | 19.293                                    | 17.790                                    | 0.307                   | 0.576                   | 0.205                |              |
| 9604  | 5:22:07.01         | -70:29:07.41       | AC         | 0.61569            | 51182.38306         | 62,29,12                       | 18.932                                    | 19.234                                    | 18.550                                    | 18.947                                    | 19.253                                    | 18.558                                    | 0.655                   | 0.774                   | 0.532                |              |
| 10320 | 5:21:48.72         | -70:28:00.82       | AC         | 0.29177            | 51185.76536         | 66,37,14                       | 18.655                                    | 19.236                                    | -                                         | 18.658                                    | 19.244                                    | -                                         | 0.264                   | 0.419                   | -                    |              |
| 30    | 5:23:55.92         | -70:29:31.92       | Ceph.      | 3.66050            | 51933.77646         | 67,41,14                       | 15.396                                    | 15.980                                    | -                                         | 15.403                                    | 15.992                                    | -                                         | 0.392                   | 0.532                   | -                    |              |
| 40    | 5:22:12.23         | -70:40:09.81       | Ceph.      | 2.39797            | 51934.66602         | 69,40,13                       | 15.753                                    | 16.237                                    | 15.212                                    | 15.765                                    | 16.260                                    | 15.225                                    | 0.501                   | 0.691                   | 0.513                |              |
| 121   | 5:23:17.88         | -70:34:30.81       | Ceph.      | 2.13218            | 51180.99088         | 66,41,12                       | 15.975                                    | 16.532                                    | 15.288                                    | 15.980                                    | 16.543                                    | 15.290                                    | 0.344                   | 0.472                   | 0.205::              |              |
| 147   | 5:22:59.43         | -70:33:24.15       | Ceph.      | 4.69248            | 51181.61046         | 67,37,14                       | 15.467                                    | 16.099                                    | -                                         | 15.497                                    | 16.170                                    | -                                         | 0.830                   | 1.218                   | -                    |              |
| 150   | 5:22:10.50         | -70:33:14.98       | Ceph.      | 3.13782            | 51181.70621         | 56,36,14                       | 16.251                                    | 16.837                                    | 15.524                                    | 16.257                                    | 16.852                                    | 15.523                                    | 0.415                   | 0.574                   | -                    |              |
| 170   | 5:23:04.43         | -70:31:13.83       | Ceph.      | 6.66000            | 51933.30000         | 64,35,12                       | 15.277                                    | 16.105                                    | -                                         | 15.284                                    | 16.117                                    | -                                         | 0.394                   | 0.568                   | -                    |              |
| 182   | 5:23:47.50         | -70:30:13.46       | Ceph.      | 2.80545            | 51184.80502         | 61,38,14                       | 15.820                                    | 16.389                                    | -                                         | 15.862                                    | 16.479                                    | -                                         | 0.940                   | 1.354                   | -                    |              |
| 183   | 5:21:48.21         | -70:30:25.86       | Ceph.      | 2.49288            | 51182.99807         | 68,39,10                       | 16.259                                    | 16.830                                    | 15.566                                    | 16.283                                    | 16.879                                    | 15.567                                    | 0.689                   | 0.976                   | 0.193::              |              |
| 200   | 5:23:07.02         | -70:29:05.06       | Ceph.      | 2.73228            | 51179.44316         | 61,41,14                       | 15.568                                    | 16.142                                    | 14.920                                    | 15.575                                    | 16.156                                    | 14.921                                    | 0.424:                  | 0.571                   | 0.208                |              |
| 902   | 5:23:00.61         | -70:34:32.31       | Ceph.      | 1.17104            | 51182.99969         | 69,41,13                       | 16.936                                    | 17.460                                    | -                                         | 16.941                                    | 17.469                                    | -                                         | 0.368                   | 0.487                   | -                    |              |
| 1880  | 5:22:56.07         | -70:40:17.73       | EB         | 2.18677            | 51183.76190         | 69,40,13                       | 18.997                                    | 19.139                                    | -                                         | 18.921                                    | 19.078                                    | -                                         | -                       | -                       | -                    |              |
| 2756  | 5:23:06.01         | -70:38:57.82       | EB         | 1.18211            | 51183.81265         | 70,39,14                       | 19.327                                    | 19.595                                    | -                                         | 19.342                                    | 19.612                                    | -                                         | 0.733                   | 0.781                   | -                    |              |
| 4490  | 5:21:53.47         | -70:36:35.13       | EB         | 1.38051            | 51184.69877         | 70,39,10                       | 19.016                                    | 19.011                                    | 19.017                                    | 19.022                                    | 19.015                                    | 19.020                                    | 0.727                   | 0.523                   | -                    |              |
| 9800  | 5:22:57.60         | -70:28:43.46       | EB         | 0.59749            | 51184.78793         | 66,41,14                       | 18.590                                    | 18.627                                    | 18.504                                    | 18.602                                    | 18.638                                    | 18.518                                    | 0.617                   | 0.626                   | 0.592                |              |
| 10914 | 5:23:00.60         | -70:40:22.44       | EB         | 0.56184            | 51183.79300         | 65,39,13                       | 19.767                                    | 20.421                                    | -                                         | 19.784                                    | 20.058                                    | -                                         | 0.689                   | 0.647                   | 0.615::              |              |
| 18475 | 5:23:46.56         | -70:34:46.31       | EB         | 0.80928            | 51185.66801         | 60,41,12                       | 19.821                                    | 19.872                                    | -                                         | 19.826                                    | 19.880                                    | -                                         | 0.452                   | 0.570                   | -                    |              |
| 1002  | 5:22:58.16         | -70:33:46.41       | EB         | -                  | -                   | -                              | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | ~0.29                   | ~0.32                   | >0.2                 |              |
| 1090  | 5:21:51.82         | -70:33:08.41       | EB         | -                  | -                   | -                              | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | ~0.23                   | ~0.34                   | >0.3                 |              |
| 3276  | 5:24:04.96         | -70:38:06.35       | ?          | -                  | -                   | 70,38,14                       | 19.040                                    | 19.268                                    | 18.862                                    | 19.051                                    | 19.279                                    | 18.877                                    | >0.5                    | >0.6                    | >0.6                 |              |
| 7997  | 5:21:57.21         | -70:31:36.27       | EB?        | -                  | -                   | -                              | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | >0.14                   | >0.46                   | >0.5                 |              |
| 8723  | 5:22:14.60         | -70:30:27.49       | EB         | ~1.16              | 51183.78600         | 51,21,14                       | 19.152                                    | 19.859                                    | -                                         | 19.161                                    | 19.862                                    | 18.455                                    | 0.789                   | -                       | -                    |              |

- Notes:
- (a) The minimum light in 2001 is systematically brighter than in 1999 both in  $B$  and  $V$ , possibly indicating a Blazhko modulation.
  - (b) No reliable average magnitudes and amplitudes are available since in 1999 the star occasionally fell on a CCD bad column.
  - (c) The 2001 light curves are systematically fainter than the 1999 ones. The star could be an unresolved blend in the 1999 photometry. Amplitudes and average luminosities are provided for the 1999 (upper line) and 2001 data (lower line), separately.
  - (d) Amplitudes and average luminosities are provided for the combined 1999 + 2001 data (upper line), and for the 1999 (middle line) and 2001 data (lower line), separately.
  - (e) The 2001 light curves are systematically fainter than the 1999 ones. The star could either be an unresolved blend in the 1999 photometry, or could be affected by Blazhko effect. Amplitudes correspond to the 1999 data-set.
  - (f) The 2001 light curves are systematically brighter than the 1999 ones. Amplitudes and average luminosities are provided for the 1999 (upper line) and 2001 data (lower line), separately.
  - (g) Light curves are very noisy possibly indicating the presence of secondary periodicities.
  - (h) The 2001 light curves are systematically slightly brighter than in 1999, particularly in  $B$ . Amplitudes are provided for the combined 1999 + 2001 data (upper line), and for the 1999 (middle line) and the 2001 data (lower line), separately.
  - (i) Period and shape of the 2001 light curves are slightly different than in 1999. Amplitudes and average luminosities are provided for the combined 1999+2001 data (upper line) and for the 2001 data (lower line), separately.
  - (l) The star was not observed in 2001. (m) Amplitudes and average luminosities are provided separately for the combined 1999 + 2001 data (upper line), for the 1999 data (middle line), and for the 2001 data (lower line). (n) The 2001 light curves are systematically fainter than the 1999 ones. Amplitudes are provided separately for the combined 1999 + 2001 data (upper line), for the 1999 data (middle line), and for the 2001 data (lower line).



**Table 6.** Informations and average quantities for the variable stars in field B.


| Id    | $\alpha$<br>(2000) | $\delta$<br>(2000) | Type | P<br>(days) | Epoch<br>(-2400000) | Np<br>(V,B,I)                   | $\langle V_{\text{int}} \rangle$<br>(mag) | $\langle B_{\text{int}} \rangle$<br>(mag) | $\langle I_{\text{int}} \rangle$<br>(mag) | $\langle V_{\text{mag}} \rangle$<br>(mag) | $\langle B_{\text{mag}} \rangle$<br>(mag) | $\langle I_{\text{mag}} \rangle$<br>(mag) | $A_V$<br>(mag)             | $A_B$<br>(mag)             | $A_I$<br>(mag)  | Notes                  |
|-------|--------------------|--------------------|------|-------------|---------------------|---------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|----------------------------|----------------------------|-----------------|------------------------|
| 1408  | 5:17:13.79         | -71:06:06.91       | ab   | 0.62600     | 51182.73500         | 52,31,14                        | 19.343                                    | 19.772                                    | 18.777                                    | 19.369                                    | 19.813                                    | 18.778                                    | 0.812                      | 0.978                      | 0.376:          | Blazhko, (a)           |
| 1575  | 5:16:31.27         | -71:05:48.49       | ab   | 0.67389     | 51182.40483         | 70,37,14                        | 19.250                                    | 19.666                                    | 18.690                                    | 19.290                                    | 19.733                                    | 18.703                                    | 1.029                      | 1.284                      | 0.740           |                        |
| 1907  | 5:18:12.30         | -71:04:59.49       | ab   | 0.58048     | 51182.92634         | 55,23,-<br>70,37,13             | -<br>19.287                               | -<br>19.724                               | -<br>18.726                               | -<br>19.306                               | -<br>19.762                               | -<br>18.739                               | -<br>-                     | -<br>-                     | -<br>-          |                        |
| 2055  | 5:17:17.39         | -71:04:50.18       | ab   | 0.52295     | 51182.41018         | 47,34,12                        | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | 0.749:::                   | 1.304                      | 0.534::         | Incomplete<br>Blazhko? |
| 2249  | 5:17:13.01         | -71:04:27.10       | ab   | 0.61044     | 51933.59040         | 69,35,14                        | 19.346                                    | 19.775                                    | 18.689                                    | 19.371                                    | 19.823                                    | 18.728                                    | 0.747                      | 0.987                      | 0.634           |                        |
| 2379  | 5:18:43.16         | -71:04:03.24       | ab   | 0.48854     | 51182.14762         | 66,36,13                        | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | 0.931::                    | 1.292::                    | 0.482:::        |                        |
| 2407  | 5:16:51.61         | -71:04:13.40       | ab   | 0.67004     | 51182.54647         | 68,36,14                        | 19.186                                    | 19.613                                    | 18.531                                    | 19.201                                    | 19.639                                    | 18.539                                    | 0.652                      | 0.818                      | 0.466           | Incomplete             |
| 2884  | 5:16:52.13         | -71:03:25.18       | ab   | 0.61943     | 51183.71406         | 70,36,11                        | 19.217                                    | 19.630                                    | 18.655                                    | 19.249                                    | 19.689                                    | 18.639                                    | 0.869                      | 1.182                      | 0.475::         |                        |
| 3033  | 5:18:13.98         | -71:03:00.56       | ab   | 0.49938     | 51933.59874         | 69,37,14                        | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | 1.157:                     | 1.254:                     | 0.371:::        |                        |
| 3054  | 5:17:45.36         | -71:03:01.45       | ab   | 0.50798     | 51183.21819         | 68,35,14                        | 19.066                                    | 19.440                                    | -                                         | 19.089                                    | 19.486                                    | -                                         | 0.902                      | 1.149                      | -               | Blazhko?, (b)          |
| 3400  | 5:17:14.46         | -71:02:26.58       | ab   | 0.48616     | 51182.21055         | 67,37,14                        | 19.469                                    | 19.805                                    | 18.824                                    | 19.530                                    | 19.921                                    | 18.851                                    | 1.263                      | 1.619                      | 0.836           |                        |
| 3412  | 5:18:38.21         | -71:02:14.47       | ab   | 0.53020     | 51182.91258         | 68,36,13                        | 19.425                                    | 19.834                                    | 18.856                                    | 19.460                                    | 19.902                                    | 18.876                                    | 0.834                      | 1.159                      | 0.707           |                        |
| 4244  | 5:16:27.60         | -71:00:59.85       | ab   | 0.55621     | 51182.84333         | 70,37,14<br>55,23,-<br>15,14,14 | 19.260<br>-<br>-                          | 19.633<br>-<br>-                          | 18.782<br>-<br>-                          | 19.297<br>-<br>-                          | 19.702<br>-<br>-                          | 18.808<br>-<br>-                          | 0.944<br>0.881<br>1.122    | 1.159<br>1.179<br>1.399    | -<br>-<br>0.800 | (c)<br>Blazhko?, (b)   |
| 4540  | 5:16:13.67         | -71:00:28.34       | ab   | 0.56892     | 51182.52598         | 61,31, 8                        | 19.414                                    | 19.801                                    | 18.858                                    | 19.450                                    | 19.866                                    | 18.878                                    | 0.880                      | 1.208                      | 0.668           |                        |
| 4780  | 5:16:53.00         | -71:00:02.53       | ab   | 0.61757     | 51934.63778         | 69,35,14<br>54,21,-<br>15,14,14 | 19.396<br>-<br>-                          | 19.860<br>-<br>-                          | 18.707<br>-<br>-                          | 19.411<br>-<br>-                          | 19.895<br>-<br>-                          | 18.718<br>-<br>-                          | 0.595<br>0.592<br>0.466::: | 0.972<br>0.930<br>0.673::: | -<br>-<br>0.499 |                        |
| 4859  | 5:16:10.87         | -70:59:54.34       | ab   | 0.52336     | 51184.68400         | 46,21,-                         | 19.240                                    | 19.617                                    | -                                         | 19.294                                    | 19.687                                    | -                                         | 1.061                      | 1.182                      | -               | (c)                    |
| 5394  | 5:17:15.73         | -71:04:11.37       | ab   | 0.50993     | 51182.86900         | 64,31,11                        | 19.463:                                   | 19.957:                                   | 19.117:                                   | 19.499:                                   | 19.976:                                   | 19.121:                                   | >0.643                     | >0.735                     | 0.318           | Incomplete             |
| 5902  | 5:16:12.23         | -70:58:04.86       | ab   | 0.56975     | 51182.87903         | 54,23,-                         | 19.121                                    | 19.472                                    | -                                         | 19.165                                    | 19.571                                    | -                                         | 1.015                      | 1.282                      | -               | (c)                    |
| 5950  | 5:18:06.56         | -70:57:48.52       | ab   | 0.49957     | 51182.07579         | 55,24,14                        | -                                         | -                                         | -                                         | -                                         | -                                         | -                                         | >0.4                       | >0.5                       | -               | Incomplete             |
| 6020  | 5:16:32.44         | -70:57:53.68       | ab   | 0.61428     | 51183.70139         | 53,22,-<br>15,14,14             | -<br>-                                    | -<br>-                                    | -<br>-                                    | -<br>-                                    | -<br>-                                    | -<br>-                                    | 0.858<br>0.931             | 0.973<br>1.157             | -<br>0.534      | (d)                    |
| 6440  | 5:16:16.68         | -70:57:11.56       | ab   | 0.49482     | 51934.75800         | 43,23,13                        | 19.247                                    | 19.612                                    | 18.865                                    | 19.280                                    | 19.664                                    | 18.876                                    | 0.875                      | 1.053                      | 0.592           | Blazhko, (e)           |
| 6798  | 5:17:11.33         | -70:56:32.65       | ab   | 0.58405     | 51182.44080         | 53,22,-<br>15,14,14             | 19.253<br>-                               | 19.658<br>-                               | 18.711<br>-                               | 19.291<br>-                               | 19.730<br>-                               | 18.720<br>-                               | 1.035<br>0.760             | 1.376<br>1.043             | -<br>0.499      |                        |
| 7063  | 5:18:43.98         | -70:55:55.77       | ab   | 0.65428     | 51183.79572         | 68,36,13                        | 19.195                                    | 19.629                                    | 18.549                                    | 19.213                                    | 19.654                                    | 18.569                                    | 0.633                      | 0.686                      | 0.457           |                        |
| 7158  | 5:16:45.89         | -71:03:27.94       | ab   | 0.80192     | 51182.91400         | 54,28,12                        | 19.198                                    | 19.610                                    | 18.452                                    | 19.212                                    | 19.636                                    | 18.462                                    | 0.679                      | 0.830                      | 0.433           | Blazhko?               |
| 7442  | 5:17:15.68         | -70:55:26.77       | ab   | 0.57795     | 51933.63581         | 70,36,14                        | 19.426                                    | 19.835                                    | 18.855                                    | 19.446                                    | 19.876                                    | 18.877                                    | 0.650                      | 0.917                      | 0.655           |                        |
| 7620  | 5:18:03.53         | -70:55:03.12       | ab   | 0.65616     | 51182.75690         | 70,37,14                        | 19.079                                    | 19.409                                    | 18.461                                    | 19.133                                    | 19.489                                    | 18.471                                    | 1.071                      | 1.366                      | 0.710           |                        |
| 7652  | 5:17:32.87         | -71:03:13.94       | ab   | 0.50700     | 51934.78000         | 61,36,12                        | 19.426                                    | 19.763                                    | 19.191                                    | 19.492                                    | 19.888                                    | 19.207                                    | 1.270                      | 1.629                      | 0.811           | Blazhko?               |
| 10692 | 5:18:04.54         | -71:04:34.91       | ab   | 0.55094     | 51182.70020         | 68,37,14                        | 19.548                                    | 19.956                                    | 18.918                                    | 19.574                                    | 20.009                                    | 18.938                                    | 0.862                      | 1.109                      | 0.747:          |                        |
| 10811 | 5:18:15.95         | -71:04:27.07       | ab   | 0.47637     | 51182.81620         | 69,36,14                        | 19.431                                    | 19.797                                    | -                                         | 19.492                                    | 19.893                                    | -                                         | 1.166                      | 1.392                      | 0.452           |                        |
| 14449 | 5:17:05.32         | -71:01:40.85       | ab   | 0.58413     | 51934.57998         | 64,36,13                        | 19.514                                    | 19.851                                    | 18.727                                    | 19.450                                    | 19.906                                    | 18.734                                    | 0.804                      | 1.016                      | 0.329::         | (c)                    |
| 19037 | 5:16:20.66         | -70:58:06.31       | ab   | 0.41128     | 51933.76200         | 67,33,14                        | 19.702                                    | 20.023                                    | 19.293                                    | 19.784                                    | 20.174                                    | 19.332                                    | 1.466                      | 1.821                      | 0.917           |                        |
| 21801 | 5:16:36.29         | -70:58:21.72       | ab   | 0.50723     | 51182.88136         | 68,34,14                        | 19.598                                    | 20.013                                    | 19.216                                    | 19.627                                    | 20.067                                    | 19.235                                    | 0.874                      | 1.198                      | 0.653::         |                        |
| 22917 | 5:18:19.05         | -70:54:56.03       | ab   | 0.56468     | 51182.63629         | 60,35,14                        | 19.426                                    | 19.797                                    | 18.887                                    | 19.462                                    | 19.863                                    | 18.893                                    | 0.957                      | 1.283                      | 0.729           | (f)                    |
| 23502 | 5:18:01.58         | -70:54:31.81       | ab   | 0.47217     | 51934.61759         | 46,31,9                         | 19.385                                    | 19.662                                    | -                                         | 19.446                                    | 19.792                                    | -                                         | 1.296                      | 1.638                      | 1.300:::        |                        |
| 24089 | 5:17:44.64         | -70:54:03.08       | ab   | 0.55977     | 51183.74000         | 55,21,-<br>-,14,8               | 19.365<br>-                               | 19.798<br>-                               | -<br>-                                    | 19.370<br>-                               | 19.797<br>-                               | -<br>-                                    | 0.371<br>1.339             | 0.485<br>-                 | 1.386<br>-      |                        |
| 1387  | 5:18:47.52         | -71:05:58.35       | c    | 0.36448     | 51185.77393         | 69,36,14                        | 19.252                                    | 19.561                                    | 18.737                                    | 19.263                                    | 19.580                                    | 18.741                                    | 0.443                      | 0.587                      | 0.316           | (g)                    |
| 2517  | 5:16:31.25         | -71:04:03.32       | c    | 0.23176     | 51934.70774         | 69,36,12                        | 19.695                                    | 19.925                                    | 19.374                                    | 19.706                                    | 19.943                                    | 19.379                                    | 0.452                      | 0.555                      | 0.312           |                        |
| 2811  | 5:18:31.15         | -71:03:21.74       | c    | 0.27757     | 51183.04260         | 70,35,13                        | 19.384                                    | 19.691                                    | 18.956                                    | 19.389                                    | 19.699                                    | 18.958                                    | 0.313                      | 0.371                      | 0.242           |                        |
| 3625  | 5:16:52.66         | -71:02:01.87       | c    | 0.27654     | 51182.93263         | 61,35,14<br>46,21,-<br>15,14,14 | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | 0.292<br>0.305<br>0.322    | 0.379<br>0.343<br>0.378    | -<br>-<br>0.194 |                        |
|       |                    |                    |      | 0.27995     | 51182.89758         | 59,35,-<br>44,21,-<br>15,14,14  | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | 0.297<br>0.293<br>0.308    | 0.403<br>0.360<br>0.379    | -<br>-<br>0.197 |                        |
| 3957  | 5:18:39.60         | -71:01:12.61       | c    | 0.34232     | 51182.70003         | 68,35,13                        | 19.533                                    | 19.932                                    | 19.038                                    | 19.543                                    | 19.948                                    | 19.050                                    | 0.427                      | 0.509                      | 0.218           |                        |
| 4008  | 5:17:04.72         | -71:01:17.28       | c    | 0.28474     | 51934.75471         | 66,34,14                        | 19.281                                    | 19.559                                    | 18.855                                    | 19.290                                    | 19.574                                    | 18.859                                    | 0.421                      | 0.507                      | 0.282           |                        |
| 4179  | 5:17:19.90         | -71:01:02.08       | c    | 0.35587     | 51186.69270         | 50,29,14                        | 19.173                                    | 19.502                                    | 18.640                                    | 19.183                                    | 19.520                                    | 18.644                                    | 0.438                      | 0.560                      | 0.298           |                        |
| 4749  | 5:17:49.67         | -71:00:01.38       | c    | 0.32703     | 51184.82256         | 63,35,13                        | 19.314                                    | 19.653                                    | 18.834                                    | 19.321                                    | 19.667                                    | 18.838                                    | 0.394                      | 0.512                      | 0.306           |                        |
| 4946  | 5:18:11.02         | -70:59:35.60       | c    | 0.31275     | 51934.63003         | 68,34,12                        | 19.432                                    | 19.739                                    | 18.929                                    | 19.443                                    | 19.757                                    | 18.933                                    | 0.433                      | 0.561                      | 0.298           |                        |
| 5256  | 5:18:45.57         | -70:58:56.79       | c    | 0.34248     | 51182.67690         | 70,36,14                        | 19.259                                    | 19.614                                    | 18.795                                    | 19.268                                    | 19.628                                    | 18.796                                    | 0.417                      | 0.527                      | 0.210           |                        |
| 6164  | 5:18:10.12         | -70:57:30.75       | c    | 0.37487     | 51934.68304         | 70,36,14                        | 19.057                                    | 19.353                                    | 18.604                                    | 19.068                                    | 19.374                                    | 18.613                                    | 0.451                      | 0.615                      | 0.389           |                        |
| 6255  | 5:17:17.83         | -70:57:26.43       | c    | 0.35239     | 51933.61784         | 58,33,11                        | 19.264                                    | 19.600                                    | 18.807                                    | 19.272                                    | 19.614                                    | 18.810                                    | 0.380                      | 0.539                      | 0.223           |                        |
| 6957  | 5:18:18.03         | -70:56:08.75       | c    | 0.40567     | 51182.81240         | 70,37,13                        | 19.197                                    | 19.532                                    | 18.673                                    | 19.205                                    | 19.549                                    | 18.680                                    | 0.396                      | 0.568                      | 0.370           |                        |
| 7064  | 5:18:18.59         | -70:55:58.64       | c    | 0.40070     | 51934.75034         | 70,37,13                        | 19.122                                    | 19.433                                    | 18.644                                    | 19.135                                    | 19.454                                    | 18.655                                    | 0.474                      | 0.607                      | 0.451           |                        |
| 7490  | 5:18:44.67         | -70:55:10.81       | c    | 0.30481     | 51186.72128         | 70,37,13<br>55,22,-<br>15,14,13 | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | -<br>-<br>-                               | 0.505<br>0.483<br>0.568    | 0.637<br>0.528<br>0.709    | -<br>-<br>0.430 | (h)                    |
| 7648  | 5:16:38.53         | -70:55:09.52       | c    | 0.34268     | 51186.66994         | 69,35,14                        | 19.384                                    | 19.688                                    | 18.947                                    | 19.399                                    | 19.707                                    | 18.951                                    | 0.467                      | 0.598                      | 0.339           |                        |
| 7783  | 5:17:25.70         | -70:54:51.95       | c    | 0.34634     | 51933.69588         | 70,35,12                        | 19.279                                    | 19.564                                    | 18.828                                    | 19.298                                    | 19.596                                    | 18.837                                    | 0.553                      | 0.742                      | 0.417           |                        |
| 10585 | 5:17:29.07         | -71:04:45.16       | c    | 0.26954     | 51934.63450         | 70,37,12                        | 19.628                                    | 19.934                                    | 19.158                                    | 19.641                                    | 19.959                                    | 19.167                                    | 0.478                      | 0.657                      | 0.407:          |                        |

Table 6: - continued -

| Id    | $\alpha$<br>(2000) | $\delta$<br>(2000) | Type  | P<br>(days) | Epoch<br>(−2400000) | Np<br>(V,B,I) | $\langle V_{\text{int}} \rangle$<br>(mag) | $\langle B_{\text{int}} \rangle$<br>(mag) | $\langle I_{\text{int}} \rangle$<br>(mag) | $\langle V_{\text{mag}} \rangle$<br>(mag) | $\langle B_{\text{mag}} \rangle$<br>(mag) | $\langle I_{\text{mag}} \rangle$<br>(mag) | $A_V$<br>(mag) | $A_B$<br>(mag) | $A_I$<br>(mag) | Notes |
|-------|--------------------|--------------------|-------|-------------|---------------------|---------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|----------------|----------------|----------------|-------|
| 3347  | 5:16:26.98         | -71:02:36.58       | d     | 0.36040     | 51182.84429         | 70,37,14      | 19.204                                    | 19.547                                    | 18.762                                    | 19.211                                    | 19.558                                    | 18.765                                    | 0.372          | 0.452          | 0.256          |       |
| 4509  | 5:17:36.92         | -71:00:28.22       | d     | 0.37130     | 51934.77500         | 69,37,14      | 19.462                                    | 19.823                                    | 18.717                                    | 19.468                                    | 19.833                                    | 18.725                                    | 0.333          | 0.429          | 0.397          |       |
| 6470  | 5:16:45.06         | -70:57:07.67       | d     | 0.36979     | 51934.63003         | 70,37,14      | 19.207                                    | 19.571                                    | 18.831                                    | 19.218                                    | 19.583                                    | 18.840                                    | 0.448          | 0.480          | 0.258          |       |
| 7467  | 5:18:17.14         | -70:55:16.22       | d     | 0.35775     | 51183.81805         | 70,37,14      | 19.043                                    | 19.372                                    | 18.597                                    | 19.055                                    | 19.389                                    | 18.599                                    | 0.487          | 0.560          | 0.252          |       |
| 5952  | 5:18:04.30         | -70:57:50.13       | AC    | 0.63300     | 51183.69855         | 64,35,12      | 18.459                                    | 19.120                                    | 17.648                                    | 18.463                                    | 19.135                                    | 17.631                                    | 0.325          | 0.601          | 0.274          |       |
| 204   | 5:17:54.15         | -70:55:16.84       | Ceph. | 3.11055     | 51182.93750         | 68,36,13      | 16.009                                    | 16.620                                    | —                                         | 16.038                                    | 16.679                                    | —                                         | 0.765:         | 1.058:         | —              |       |
| 1710  | 5:18:13.72         | -71:05:19.83       | EB    | 0.73439     | 51186.68150         | 70,34,14      | 19.402                                    | 19.501                                    | 19.240                                    | 19.416                                    | 19.518                                    | 19.232                                    | 0.643          | 0.650          | 0.682          |       |
| 5357  | 5:16:32.35         | -70:59:00.82       | EB    | 1.02684     | 51183.35399         | 70,37,14      | 19.288:                                   | 19.424:                                   | —                                         | 19.066:                                   | 19.226:                                   | —                                         | 1.015:::       | 1.039:::       | —              |       |
| 6499  | 5:17:48.42         | -70:56:57.99       | EB    | 0.60784     | 51184.77200         | 68,34,14      | 19.376                                    | 19.500                                    | —                                         | 19.383                                    | 19.509                                    | —                                         | 0.401          | 0.433          | 0.329          |       |
| 15500 | 5:17:15.83         | -71:00:50.06       | EB    | 0.78568     | 51184.71789         | 66,37,14      | 19.792                                    | 19.884                                    | —                                         | 19.805                                    | 19.899                                    | —                                         | 0.620          | 0.704          | —              |       |
| 21007 | 5:18:21.08         | -70:56:27.16       | EB    | 1.35753     | 51186.69270         | 68,34,14      | 20.010                                    | 20.207                                    | —                                         | 20.024                                    | 20.226                                    | —                                         | 0.639          | 0.790          | 0.503          |       |
| 2601  | 5:18:39.98         | -71:03:41.03       | EB    | —           | —                   | —             | —                                         | —                                         | —                                         | —                                         | —                                         | —                                         | ~0.61          | ~0.63          | >0.3           |       |
| 3969  | 5:17:45.59         | -71:01:17.38       | ?     | 9.90::      | —                   | —             | —                                         | —                                         | —                                         | —                                         | —                                         | —                                         | ~0.21          | ~0.23          | >0.15          |       |
| 7699  | 5:17:03.10         | -70:55:00.65       | RR?   | —           | —                   | 14,5,—        | —                                         | —                                         | —                                         | —                                         | —                                         | —                                         | 0.600:         | 0.500:         | —              |       |

Notes:

- (a) Amplitudes are from the 1999 data set (upper line), average luminosities are from the combined 1999+2001 data set (lower line).  
(b) Amplitudes and average luminosities are provided separately for the combined 1999 + 2001 data (upper line), for the 1999 data (middle line), and for the 2001 data (lower line).  
(c) The star was not observed in 2001.  
(d) The 2001 light curves are systematically fainter than the 1999 ones. Amplitudes and average luminosities are provided for the 1999 (upper line) and 2001 data (lower line), separately.  
(e) Amplitudes and average luminosities are provided for the 1999 (upper line) and 2001 data (lower line), separately.  
(f) The star does not have  $V$  observations in 2001. The 1999  $B$  light curve has a different shape and amplitude than the 2001 one. Amplitudes and average luminosities for the 1999 data are provided in the first line, the  $B$  amplitude of the 2001 data in the second line.  
(g) The 2001 light curves are systematically brighter and have smaller amplitudes than the 1999 ones. Both in 1999 and 2001 the  $V$  data provide a slightly different period than the  $B$  ones. Amplitudes and average luminosities are provided separately for the combined 1999 + 2001 data (upper line), for the 1999 data (middle line), and for the 2001 data (lower line), and for each of the two periodicities.  
(h) The 2001 light curves are systematically fainter than the 1999 ones. Amplitudes are provided for the combined 1999 + 2001 data (upper line), for the 1999 data (middle line), and for the 2001 data (lower line), separately.




**Fig. 12.** Differences between magnitude-averaged and intensity-averaged mean magnitudes for the variable stars in field A (upper panels) and B (lower panels), separately.

Variable stars are plotted according to their intensity-averaged magnitudes and colours, and with different symbols corresponding to different types.  $B$ ,  $V$ ,  $I$  magnitudes and coordinates (in pixels) of all the stars shown in these figures (63409 in field A and 58556 in field B) are available in electronic form at CDS.

### 3.2. The variable stars just above the horizontal branch

Our sample contains 5 variables (star #5106, #9578, #9604 and #10320 in Field A, and star #5952 in field B) with periods in the range from 0.29 to 0.63 days, which is typical of RR Lyrae stars, but with  $V$  average magnitudes from 0.5 to about 0.9 mag brighter than the average luminosities of the RR Lyrae in the same fields (see open squares and asterisk in Figures 13 and 14). They also have amplitudes generally smaller than the RR Lyrae of similar period. Average luminosities and amplitudes of these stars are summarized in Table 7 where, in columns 7 and 8, we also list the difference in magnitude with respect to the average luminosity of the RR Lyrae stars in the same field (see Section 3.1).

These objects could be RR Lyrae variables blended with stars of comparable luminosity on the red and blue sides of the horizontal branch (HB) of the old stellar population in the LMC, namely clump and/or young main sequence stars. Indeed, star # 5952 in field B is considered the blend of an RR Lyrae and a red giant in MACHO web catalogue of variable stars (Alcock et al. 2003a, see Section



**Fig. 13.** Position of the variable stars on the  $V$  vs  $B - V$  colour - magnitude diagram of field A. Different symbols are used for the various type of variables (RR Lyrae stars: filled circles; candidate Anomalous Cepheids: open squares; blended variables: asterisks; Cepheids: filled squares; binaries: filled triangles; crosses:  $\delta$  Scuti) which are plotted according to their intensity average magnitudes and colours.

4.2.1). Table 8 shows schematically how the luminosities and amplitudes of a typical RR Lyrae in field A (namely the *ab*-type RR Lyrae # 2525) are expected to change, during the pulsation cycle, were the star blended to a red giant with luminosity equal to the average magnitude of the clump stars in the same field:  $\langle V_{Clump A} \rangle = 19.304$ , and  $\langle B_{Clump A} \rangle = 20.215$  mag, according to C03. The comparison between light curves of resolved and blended variable is shown in Figure 15.



This exercise shows that as the result of the blend the variable star would appear about 0.8 and 0.6 mag brighter than its average  $V$  and  $B$  luminosities of RR Lyrae star, its  $V$  amplitude would be reduced by about 50% and the  $B$  amplitude by about 37%. These numbers are very similar to the  $\Delta V$  and  $\Delta B$  value and amplitudes listed in Table 7, thus showing that blending is a plausible cause of the overluminosities of these 5 variable stars. In order to further investigate the blending hypothesis we checked the frames. Stars # 9578 and #9604 appear to be rather isolated. Stars # 10320, #5952 and #5106 instead have faint companions that may occasionally fall within the PSF of the primary star in bad seeing conditions. This should produce an increased scatter of the light curves as is indeed the case for star # 5106 which also is rather blue ( $B - V = 0.119$ ) indicating that this RR Lyrae is likely blended with a main sequence star. The other 4 objects in Table 7 have instead all rather clean light curves (star #



**Table 7.** Characteristics of the 5 variables above the HB

| Id    | Field | $\langle V \rangle$ | $\langle B \rangle$ | $A_V$ | $A_B$ | $\Delta V$ | $\Delta B$ | $\langle SHARP_V \rangle$ | $\langle SHARP_B \rangle$ |
|-------|-------|---------------------|---------------------|-------|-------|------------|------------|---------------------------|---------------------------|
| 5106  | A     | 18.820              | 18.939              | 0.391 | 0.565 | 0.597      | 0.877      | +0.286                    | +0.337                    |
| 9578  | A     | 18.626              | 19.277              | 0.307 | 0.576 | 0.787      | 0.535      | +0.264                    | +0.220                    |
| 9604  | A     | 18.932              | 19.234              | 0.655 | 0.774 | 0.481      | 0.578      | +0.099                    | +0.110                    |
| 10320 | A     | 18.655              | 19.236              | 0.264 | 0.419 | 0.758      | 0.576      | -0.209                    | -0.340                    |
| 5952  | B     | 18.459              | 19.120              | 0.325 | 0.601 | 0.862      | 0.560      | +0.144                    | +0.092                    |


Notes:  $\Delta V = \langle V_{RR} \rangle - \langle V_* \rangle$ ,  $\Delta B = \langle B_{RR} \rangle - \langle B_* \rangle$

**Fig. 15.** Schematic light curves of a resolved *ab*-type RR Lyrae star in field A (filled circles) and of its blend with a clump star in the same field (open circles).**Fig. 16.** Light curves of the variable stars # 5106 (left panels) and # 10320 (right panels), open circles and crosses correspond to the 2001 and 1999 data, respectively.

5952 in particular) and show no shifts between the 1999 and 2001 light curves that might hint they could be unresolved blends in our 1999 photometry, which was taken in less favourable seeing conditions. Figure 16 shows the B,V light curves of star # 5106 (left panels) and # 10320 (right panels). The 1999 light curves of # 5106 are overluminous, particularly at minimum light, and have smaller amplitudes compared to the 2001 ones, as if the star was an unresolved blend in the 1999 photometry, those of star

# 10320 do not show any systematic difference between the two datasets.

For each photometrized object DAOPHOT returns a shape defining parameter called *SHARP*, which is related to the intrinsic angular size of the object image and measures the regularity and symmetry of the PSF stellar profile. According to DAOPHOT user manual objects with values of *SHARP*  $\gg 0$  are galaxies and blended doubles, objects with values of *SHARP*  $\ll 0$  are cosmic rays and image defects. In our 2001 photometry stars at the lu-



**Fig. 14.** Same as Figure 13 for the variable stars in Field B.

**Table 8.** Blend of an *ab*-type RR Lyrae and a clump star in field A

|       |                                                                            |          |                                         |                |
|-------|----------------------------------------------------------------------------|----------|-----------------------------------------|----------------|
|       | $\langle V_{RR} \rangle = 19.326$                                          |          | $\langle B_{RR} \rangle = 19.757$       |                |
|       | $A_V(RR) = 0.882$                                                          |          | $A_B(RR) = 1.177$                       |                |
|       | $\langle V_{Clump\ A} \rangle = 19.304$                                    |          | $\langle B_{Clump\ A} \rangle = 20.215$ |                |
| Phase | $V_{RR}$                                                                   | $B_{RR}$ | $V_{RR+Clump}$                          | $B_{RR+Clump}$ |
| 0.00  | 18.798                                                                     | 19.026   | 18.269                                  | 18.713         |
| 0.10  | 19.024                                                                     | 19.331   | 18.402                                  | 18.933         |
| 0.20  | 19.191                                                                     | 19.625   | 18.493                                  | 19.128         |
| 0.30  | 19.318                                                                     | 19.819   | 18.558                                  | 19.246         |
| 0.40  | 19.477                                                                     | 20.019   | 18.634                                  | 19.360         |
| 0.50  | 19.542                                                                     | 20.012   | 18.664                                  | 19.356         |
| 0.60  | 19.583                                                                     | 20.114   | 18.682                                  | 19.411         |
| 0.70  | 19.580                                                                     | 20.156   | 18.681                                  | 19.433         |
| 0.80  | 19.680                                                                     | 20.203   | 18.723                                  | 19.456         |
| 0.90  | 19.592                                                                     | 19.994   | 18.686                                  | 19.346         |
| 1.00  | 18.798                                                                     | 19.026   | 18.269                                  | 18.713         |
|       | $\langle V_{RR+Clump} \rangle = 18.551$                                    |          | $\langle B_{RR+Clump} \rangle = 19.190$ |                |
|       | $A_V(RR+Clump) = 0.454$                                                    |          | $A_B(RR+Clump) = 0.743$                 |                |
|       | $\Delta V = \langle V_{RR+Clump} \rangle - \langle V_{RR} \rangle = 0.775$ |          |                                         |                |
|       | $\Delta B = \langle B_{RR+Clump} \rangle - \langle B_{RR} \rangle = 0.567$ |          |                                         |                |

minosity level of the HB generally have:  $|SHARP| < 0.10 - 0.20$ . Average *SHARP* values for the 5 overluminous variables are given in Columns 9 and 10 of Table 7. Stars # 5952 and # 9604 have very good *SHARP* values, *SHARP* of star # 9578 is worse but still acceptable. Star # 10320 has negative values of *SHARP* reflecting the fact that is at the frame edge where there are geometric distortions. Finally, # 5106 has large positive values of *SHARP* possibly indicating that the star is double. In conclusion, star # 5106 is likely a blended variable, while if the other four stars are actually blends, the two components must

be completely unresolved, so to appear as just one single object within the PSF profile.

Tests with artificial stars performed to evaluate the completeness of our photometry in field A show that at the luminosity level of the RR Lyrae and clump stars ( $19.20 \leq V \leq 19.40$  mag) our photometry is complete to 96.5 %. Since there are 78 RR Lyrae stars in field A we thus estimate that about 2-3 of this type of variables may be lost due to incompleteness/blending, and, roughly scaling down to the smaller number of RR Lyrae stars and lower crowding, less than 2 in field B. These estimates are reasonably consistent with the number of variables detected just above the HB in each field.

G04 obtained spectra with FORS1 at the Very Large Telescope (VLT) and measured the metallicity of 3 of the overluminous variables. All of them appear as single objects in the FORS1 slit. The derived metallicities are:  $[Fe/H] = -1.96 \pm 0.16$  for #9604,  $[Fe/H] = -1.66 \pm 0.09$  for #10320, and  $[Fe/H] = -1.59 \pm 0.03$  for #5952, for an average value of  $[Fe/H] = -1.74 \pm 0.11$ . The spectra of these 3 objects are shown in figures 9 and 21 of G04, along with those of LMC RR Lyrae and clump stars, and of Anomalous Cepheids (ACs) in  $\omega$  Cen (see G04 figure 20), taken with the same instrumental set-up. The 3 stars have spectra very similar to the ACs in  $\omega$  Cen. No clear evidence of spectral features due to secondary unresolved components are seen, however star # 5952 has a prominent G-band similar to that observed in the spectrum of the clump star shown in figure 9 of G04.

The 5 overluminous variables were observed by MACHO and classified respectively as: *ab*-type RR Lyrae stars (# 5106 and # 9604), an RRab blended with a red giant (# 5952), and eclipsing binaries (# 9578 and 10320; see Table 9). The average *V* magnitudes of stars # 5106 and 5952 agree with ours within 0.05 mag, with our values being systematically fainter. Stars # 10320, # 9604 and 9578 are instead brighter in our photometry, by 0.14, 0.17 and 0.27 mag, respectively. Nevertheless, even in MACHO photometry they lie above the HB.

Finally, we note that stars # 9604 and # 10320 were also observed by OGLE II (see Section 4.3 and Table 14) and classified *ab*- and *c*-type RR Lyrae, respectively. OGLE II average luminosities and light curves of star # 9604 agree within 0.1 mag, with our values being slightly brighter (by 0.04 mag in *B* and 0.11 mag in *I*, see Table 14). Similarly, OGLE II *B* data for star # 10320 agree within 0.03 mag to our value, being 0.03 mag fainter (we do not have *I* photometry for this star). However, OGLE II *V* average luminosities are respectively 0.79 and 0.71 mag fainter than ours, causing these two variables to have rather unlikely colours for RR Lyrae stars:  $(B - V)_{9604} = -0.45$ ,  $(V - I)_{9604} = 1.21$  mag, and  $(B - V)_{10320} = -0.17$ ,  $(V - I)_{10320} = 1.53$  mag in OGLE II photometry. Indeed, the OGLE II *V* light curves of these objects are very poor. No actual *V* light variation is seen for # 10320, possibly indicating a mismatched *B*, *V*, *I* counteridentification.

In conclusion, based on the available observational evidences star # 5106 is likely to be the blend of an *ab*-type RR Lyrae with a young main sequence star. Instead, it is not possible to definitely assign a classification to the other 4 overluminous variables. Sub-arcsec photometry would be needed to shed some light on this issue.

On the other hand, given the complex stellar population in the LMC, we should also consider whether these 4 objects could be pulsating variables intrinsically brighter than the RR Lyrae stars, such as the Anomalous Cepheids (ACs) commonly found in dwarf Spheroidal galaxies (Pritzl et al. 2002 and references therein), or the low luminosity (LL) Cepheids (Clementini et al. 2003b) and the short period Classical Cepheids (SPCs) found in a number of dwarf Irregular galaxies (Smith et al. 1992, Gallart et al. 1999, 2004, Dolphin et al. 2002).

Anomalous Cepheids are metal-poor (Population II) helium burning stars in the instability strip, from about 0.5 up to about 2 mag (Bono et al. 1997) brighter than the HB of the old stars. They generally have periods in the range 0.3-2 days, but are too luminous for their periods to be Population II Cepheids (Wallerstein & Cox 1984). The high luminosity can be accounted for if they are more massive than normal old HB stars, as if they formed from the coalescence of a close binary (originally a blue straggler), although in some cases they may result from the evolution of younger, single massive stars. At low metallicities ( $Z \leq 0.0004$ , i.e.  $[\text{Fe}/\text{H}] \leq -1.7$ ), a hook in the HB is predicted, the so called “HB turnover” (see Caputo 1998, and references therein), so that stars with masses larger than  $\sim 1.3M_{\odot}$  may cross the instability strip. Thus, there is a limiting metallicity above which no Anomalous Cepheid should be generated (Bono et al. 1997, Marconi et al. 2004). This limit in metallicity should be about  $[\text{Fe}/\text{H}] \sim -1.7$  for variables around  $\sim 1.3M_{\odot}$  and  $[\text{Fe}/\text{H}] \sim -2.3$  for variables around  $\sim 1.8M_{\odot}$ . While very common in dwarf Spheroidal galaxies, Anomalous Cepheids are very rare in globular clusters: only one is known in the very metal-poor cluster NGC 5466 (Zinn & Dahn 1976,  $[\text{Fe}/\text{H}] = -2.22$  according to Harris 1996) and two suspected ones are found in  $\omega$  Cen (Nemec et al. 1994, Kaluzny et al. 1997), a cluster spanning a wide range in metallicity (Norris, Freeman, & Mighell 1996, Suntzeff & Kraft 1996, Pancino et al. 2002) and suspected of being the remnant of a disrupted dwarf galaxy.

The short period Cepheids are blue loop stars, i.e. stars that have ignited the helium in non degenerate cores ( $M \geq 2.5M_{\odot}$ ), and have periods shorter than 10 days. They fall on the extension to short periods of the Classical Cepheids P/L relations (see Smith et al. 1992, Gallart et al. 1999, 2004, Dolphin et al. 2002).

Observed for the first time in NGC 6822 dwarf Irregular galaxy (Clementini et al 2003b), the LL Cepheids have small amplitudes, luminosities just above the HB, and are fainter and have shorter periods than the short period Cepheids.

It is not possible to decide to which of the above classes these four variables brighter than the HB more

likely belong, based on the period-luminosity (P/L) relations, since at their short periods the P/L relations of Anomalous and Classical Cepheids merge and are almost indistinguishable. Indeed, in the P/L plane stars #9604, #5952 and #9578 fall on the extension to short periods of the fundamental mode Anomalous and Classical Cepheids, while star #10320 lies on the extension to short periods of the first overtone P/L relations (see Figure 2 of Baldacci et al. 2004). Knowledge of the metallicity may allow to break the degeneracy in the P/L relation, since short period Classical Cepheids and ACs are expected to have different metallicities, similar to those of their respective Population I and II parent populations. Based on the individual and average metallicities G04 conclude that the three overluminous variables they analyzed would more likely be ACs with masses  $M \sim 1.3M_{\odot}$  rather than the short period tail of the LMC Classical Cepheids. Star #9578 lacks a metallicity estimate, hence its possible classification as AC is more uncertain.

## 4. A star by star comparison with MACHO and OGLE II photometries

### 4.1. Introduction

Fields A and B are contained in MACHO’s fields #6 and #13, respectively, and there is a 42.1% overlap between field A and OGLE II field LMC\_SC21. Both MACHO and OGLE II catalogues are available on line. In particular, the MACHO collaboration has made available on web (see <http://www.macho.mcmaster.ca/Data/MachoData.html>) coordinates and instrumental photometry for about 9 million LMC stars, and instrumental time-series for all the variables they have identified in the LMC. For the variables they also publish calibrated average magnitudes<sup>3</sup>. Calibrated photometric maps (including time-series data of the variable stars) for all the LMC fields observed by OGLE II are instead available on OGLE II web page at [http://www.astrouw.edu.pl/~ogle/ogle2/rrlyr\\_lmc.html](http://www.astrouw.edu.pl/~ogle/ogle2/rrlyr_lmc.html). It was thus possible to make a detailed comparison between our and MACHO and OGLE II photometries, for both variables and constant stars in common.

Before going into the details of this comparison we note that two major differences exist between our, MACHO, and OGLE II databases: (i) observing strategy, exposures and time resolution of our photometric observations were specifically designed to achieve a very accurate definition of the average luminosity level of the RR Lyrae stars in the bar of the LMC, and provide a valuable counterpart to Walker (1992) study of the RR Lyrae stars in the LMC globular clusters. RR Lyrae’s are instead by-products close to the limiting magnitude of MACHO and OGLE surveys, whose main target was the detection of microlensing events in the LMC; (ii) although we used

<sup>3</sup> MACHO instrumental time-series and the calibrated average magnitudes of the LMC variable stars are also available at the CDS at Strasbourg.

DoPhot to reduce the 1999 time series, the final photometry and calibration of our full dataset was handled by DAOPHOT+ALLFRAME, while both MACHO and OGLE II photometries used the DoPhot package<sup>4</sup>. These packages may give similar results when crowding is not too severe; however DAOPHOT+ALLFRAME is much more efficient than DoPhot to resolve and measure faint stellar objects in crowded fields. This is clearly shown in Figure 2, where, thanks to ALLFRAME, we reach about 1-1.5 mag fainter and resolve almost twice the number of stars as with DoPhot. Moreover, DoPhot is reported to give systematically brighter magnitudes for faint stars in crowded regions than DAOPHOT due to its sky fitting procedure (Alcock et al. 1999, hereinafter A99). These differences should be kept in mind to interpret the results of the comparisons discussed in the next subsections.

#### 4.2. Comparison with MACHO photometry

The MACHO collaboration has published calibrated photometry, namely magnitude-averaged mean magnitudes (Alcock et al. 2003a), only for the LMC variable stars. A99 provide a detailed description of the photometric calibration to the Kron-Cousins  $V$  and  $R$  system of the twenty top-priority MACHO fields of the LMC which include fields #6 and #13. They quote an internal precision of  $\sigma_V=0.021$  mag (based on 20,000 stars with  $V \lesssim 18$  mag) and, from the comparison with other published measurements, they estimate a mean offset between MACHO and all the other data of  $\Delta V=-0.035$  mag (see fig. 7 of their paper). A99 calibration is referred to as version 9903018 in following publications of the MACHO team (e.g. Alcock et al. 2004). However, the calibrated average magnitudes available on MACHO web pages (which, at the time this paper is being written, correspond to the last update of April 18th 2002) are based on a different version of A99 photometric calibration (see Alcock et al. 2004). MACHO catalogue is undoubtedly an invaluable inventory of the LMC variable star content; however, because of the non-standard passbands, the severe “blending” problems in the fields close to the LMC bar, and the complexity of the calibration procedures (see A99 for details), the absolute photometric calibration is a major concern. As a matter of fact different versions of the MACHO calibrated light curves exist, and it would be very important to know which version most closely matches the standard system in order to be able to fully exploit the catalogue. While working at the present paper we discussed this issue with members of the MACHO team who were working on the calibration procedures and/or were using the MACHO variable star catalogues (namely Dr.s D. Alves, C. Clement, and G. Kovács). We exchanged datasets and made comparisons between our photometry and data based on different versions of the MACHO photometric calibrations. In the

following we report results based on 4 different datasets of MACHO’s photometry, namely:

1. MACHO’s magnitude-averaged mean values for the variables in common (77 and 54 variables in field A and B, respectively) as published on MACHO web pages. This comparison is described in Section 4.2.1.
2. MACHO’s time-series photometry for 42 RR Lyrae stars (25 in Field A and 17 in field B, respectively), kindly made available by G. Kovács. This point-to-point comparison of the light curves is described in Section 4.2.2.
3. MACHO’s magnitude-averaged mean magnitudes for 7  $c$ -type RR Lyrae stars (3 in Field A and 4 in field B, respectively) whose data were sent us by C. Clement (see Section 4.2.3).
4. MACHO’s photometry for 18 RR Lyrae stars (9 in each field) and for the non-variable stars in  $4' \times 4'$  areas surrounding the variables, whose photometric data were kindly made available by D. Alves. These comparisons are described in Sections 4.2.4 and 4.2.5, respectively.

##### 4.2.1. Comparison with MACHO photometry for the variable stars in common: the web catalogue

We have retrieved from the MACHO web archive coordinates and magnitude-averaged mean magnitudes for all the variables identified by MACHO in our fields A and B and counteridentified the variable stars in common by coordinates using private software by P. Montegriffo. Counteridentifications between our and MACHO identification numbers are provided in Table 9 where we also give the classifications.

**Table 9.** Counteridentification between MACHO and us for the variable stars in common in field A and B, separately


| Field A                    |                                 |                              |                                   |
|----------------------------|---------------------------------|------------------------------|-----------------------------------|
| $\text{Id}_{\text{MACHO}}$ | $\text{Id}_{\text{this paper}}$ | $\text{Type}_{\text{MACHO}}$ | $\text{Type}_{\text{this paper}}$ |
| 6.7055.7                   | 30                              | Ceph.1st                     | Ceph                              |
| 6.6810.11                  | 40                              | Ceph.1st                     | Ceph                              |
| 6.6931.37                  | 57                              | EB                           | ?                                 |
| 6.6932.22                  | 121                             | Ceph.1st                     | Ceph                              |
| 6.6933.19                  | 147                             | Cep.Fun                      | Ceph                              |
| 6.6812.27                  | 150                             | Cep.Fun                      | Ceph                              |
| 6.6933.11                  | 170                             | Cep.Fun                      | Ceph                              |
| 6.7054.10                  | 182                             | Cep.Fun                      | Ceph                              |
| 6.6934.10                  | 200                             | EB                           | Ceph                              |
| 6.6810.79                  | 242                             | EB                           | ?                                 |

Table 9 is presented in its entirety in the electronic edition of the Journal. A portion is shown here for guidance regarding its form and content.

MACHO detected 85 variables in the portion of their field # 6 in common with our field A. We have counteridentified all of them. Three of these stars (MACHO numbers: 6.6810.67, 6. 7052.518, and 6.7054.463, corre-

<sup>4</sup> Actually MACHO used SoDoPhot (Son of DoPhot), a revised package based on DoPhot algorithms but optimized to MACHO image data.






**Fig. 17.** Comparison between our and MACHO mean  $V$  magnitudes for the variable stars in common. Residuals are: this paper – MACHO. Filled and open symbols are used for variable stars in field A and B, respectively. Triangles are the double mode RR Lyrae stars.

sponding to our stars: # 354, 3394 and 17341) are not found to significantly vary in our photometry. Other 5 variables classified eclipsing binaries by MACHO, some of which with very long period ( $P > 60$  day), have small amplitudes, sometime rather dubious in our photometry. On the other hand, we have identified 26 additional variables apparently missed by MACHO; they include 18 RR Lyraes (10 RRAb's and 8 RRC's), 5 eclipsing binaries, 1 Cepheid, 1  $\delta$  Scuti, and 1 candidate variable of unknown type. Thus we have about 34% more short period variables than MACHO in field A.

57 variables have been found by MACHO in the area in common with field B. We have counteridentified 56 of them. The missing object is at the very edge of our field B and its photometry is not reliable. Two of the variables in common, classified by MACHO as eclipsing binaries, have rather small and dubious amplitudes in both photometries. In field B we have identified 13 additional variables that were not detected by MACHO; they include 9 RR Lyraes (3 RRAb's and 6 RRC's) and 4 eclipsing binaries. Thus we have about 24% more short period variables than MACHO in field B.


We also noticed that MACHO classification of some of the variable stars in common does not match ours (see Columns 3 and 4 of Table 9). In particular, there are 6 variables classified as eclipsing binaries by MACHO that we classify as RR Lyrae stars (3) and Cepheids (1 Classical and 2 candidate ACs), 2 RR Lyrae for MACHO that we classify as an eclipsing binary and the blend of an RRAb and a main sequence star, and an RR Lyrae + gi-



**Fig. 18.** Comparison between our and Kovács (top panel) and Alves (bottom panel) mean  $V$  magnitudes for the variable stars in common. Residuals are: this paper – others. Filled and open symbols are used for variable stars in field A and B, respectively.

ant branch star for MACHO that we classify as candidate Anomalous Cepheid. Finally we assign a different pulsation mode to 13 other variables, classified as RR Lyrae stars in both photometries.

The comparison between MACHO mean  $V$  magnitudes and our magnitude-averaged values (see column 11 of tables 5 and 6) for variables in common with full coverage of the light curve and without systematic shifts between the 1999 and the 2001 photometries is shown in Figure 17, where filled and open symbols are used for variables in field A and B, respectively, and triangles mark the double mode RR Lyrae stars. The average  $V$  difference, present photometry minus MACHO, is  $-0.170$  mag ( $\sigma = 0.106$ , 66 stars) in field A, and  $-0.013$  mag ( $\sigma = 0.099$ , 44 stars) in field B. While there is very good agreement for stars in field B, there is a large systematic shift for the variables in field A, with MACHO web luminosities being on average **fainter** than ours by 0.170 mag. We thus suspect that there may be calibration problems, namely disalignments and photometric shift between different fields, affecting the individual average magnitudes published on MACHO web catalogue for the LMC variable stars. On the other hand we also note that Alcock et al. (2000: hereinafter A00) median luminosity of a sub-sample of 680 RRAb's in the LMC ( $\langle V \rangle = 19.45$  mag) is in good agreement, within the respective error bars, with the average luminosity of the RR Lyrae stars in the LMC drawn from the present photometry (see discussion in Section 6 of C03 and their Table 5).



**Fig. 19.** Point-to-point comparison of the light curves for *ab*-type RR Lyrae stars in common with Kovács subsample. Filled dots: our photometry, three arms crosses: MACHO photometry. These represent the best (left) and worst (right) cases.

#### 4.2.2. Comparison with MACHO photometry for the variable stars: Kovács subsample

MACHO time series calibrated data for a subsample of 42 variables in common with our photometry (39 RRab, 1 RRc, 1 AC and 1 eclipsing binary, according to our classification; 41 RRab and 1 RRL+GB according to MACHO) were kindly provided to us by Dr. G. Kovács.

This photometry is based on A99 calibration. The comparison between mean magnitudes is shown in the top panel of Figure 18. Individual values are provided in Table 10, where we list MACHO’s web page magnitude-averaged values (Column 3), the present paper magnitude-averaged values (Column 4), and the intensity-averaged values from our photometry and Kovács dataset in Column 5 and 6, respectively. Finally, in Columns 7 and 8 we list the corresponding residuals this paper minus MACHO web ( $\Delta 1$ ), and this paper minus Kovács ( $\Delta 2$ ). The agreement with Kovács dataset is generally good and without apparent offsets between field A and B. The average difference  $\Delta 2 = \langle V_{this\ paper} \rangle - \langle V_{Kovacs} \rangle$  is 0.043 mag ( $\sigma=0.059$ , 42 stars), to compare with  $\langle \Delta 1 \rangle = \langle V_{this\ paper} \rangle - \langle V_{MACHO\ web} \rangle = -0.123$  mag ( $\sigma=0.120$ , 42 stars). Our average magnitudes are generally **fainter** than Kovács’ as expected on the basis of the different reduction procedures (see discussion in Section 4.1). Figure 19 shows the point-to-point comparison of the light curves of 4 *ab*-type RR Lyrae stars (two per each of our fields) representing respectively the best (left panels) and the worst (right panels) comparison between the two samples. The two variables shown in the right panels of the figure are systematically brighter in MACHO photometry.

#### 4.2.3. Comparison with MACHO photometry for the variable stars in common: Clement subsample

Alcock et al. (2004) discuss the properties of 330 first-overtone M5-like RR Lyrae variables contained in 16 LMC MACHO fields including fields #6 and #13. These restricted sample includes MACHO “best-fit” *c*-type RR Lyrae with  $-0.56 < \log P < -0.4$ , amplitudes  $A_V > 0.3$  and amplitude ratios in the range  $0.75 < A_R/A_V < 0.85$  (C. Clement private communication, Alcock et al. 2004). Photometry of these stars is based on version 9903018 of A99 calibration (Alcock et al. 2004). Seven of these RRc’s are in our sample: we find that MACHO’s mean magnitudes are on average 0.07 mag **brighter** than ours (see Table 12 by Alcock et al. 2004), again as expected on the basis of the different reduction procedures. This shift is totally consistent with that found from the larger sample of newly calibrated MACHO light curves provided us by D. Alves (see following Section 4.2.4), but at odds with the results from the comparison with the MACHO web values. We explicitly notice that this is indeed a small sample, since it was selected as described above, but as discussed in Section 4.2.1, and contrary to what stated by Alves (2004), we have a much larger number of variable stars in common with MACHO database.

#### 4.2.4. Comparison with MACHO photometry for the variable stars in common: Alves subsample

Dr. D. Alves kindly made available to us time series data for a subsample of 18 RR Lyrae variables in common with our database (9 for each field, 10 RRab and 8 RRd according to our classification; 10 RRab, 4 RRc, 2 RRd, 1 RRe and 1 variable of unknown type according to MACHO, but

**Table 10.** Comparison with MACHO photometry for the variable stars in common: Kovács subsample

| $\text{Id}_{\text{MACHO}}$ | $\text{Id}_{\text{this paper}}$ | $\langle V_{\text{MACHO}} \rangle$<br>(mag-averaged) | $\langle V_{\text{this paper}} \rangle$<br>(mag-averaged) | $\langle V_{\text{Kovacs}} \rangle$<br>(int-averaged) | $\langle V_{\text{this paper}} \rangle$<br>(int-averaged) | $\Delta 1$ | $\Delta 2$ | Field |
|----------------------------|---------------------------------|------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------|------------|------------|-------|
| 6.6931.603                 | 2525                            | 19.636                                               | 19.376                                                    | 19.346                                                | 19.340                                                    | -0.260     | -0.006     | A     |
| 6.6932.948                 | 4974                            | 19.499                                               | 19.406                                                    | 19.267                                                | 19.384                                                    | -0.093     | 0.117      | A     |
| 6.6811.882                 | 6398                            | 19.526                                               | 19.347                                                    | 19.263                                                | 19.317                                                    | -0.179     | 0.054      | A     |
| 6.6811.736                 | 6426                            | 19.421                                               | 19.227                                                    | 19.125                                                | 19.185                                                    | -0.194     | 0.060      | A     |
| 6.6813.923                 | 9494                            | 19.483                                               | 19.266                                                    | 19.140                                                | 19.217                                                    | -0.217     | 0.077      | A     |
| 6.6934.1136                | 9660                            | 19.615                                               | 19.407                                                    | 19.400                                                | 19.392                                                    | -0.208     | -0.008     | A     |
| 6.6810.635                 | 12896                           | 19.807                                               | 19.620                                                    | 19.554                                                | 19.589                                                    | -0.187     | 0.035      | A     |
| 6.6691.1079                | 25301                           | 20.006                                               | 19.805                                                    | 19.719                                                | 19.766                                                    | -0.201     | 0.047      | A     |
| 6.7054.801                 | 25362                           | 19.656                                               | 19.488                                                    | 19.399                                                | 19.443                                                    | -0.168     | 0.044      | A     |
| 6.6692.1042                | 26525                           | 19.685                                               | 19.507                                                    | 19.406                                                | 19.473                                                    | -0.178     | 0.067      | A     |
| 13.5956.410                | 1408                            | 19.288                                               | 19.369                                                    | 19.225                                                | 19.343                                                    | 0.081      | 0.118      | B     |
| 13.5835.395                | 1575                            | 19.262                                               | 19.290                                                    | 19.177                                                | 19.250                                                    | 0.028      | 0.073      | B     |
| 13.6078.524                | 3054                            | 19.084                                               | 19.089                                                    | 18.962                                                | 19.066                                                    | 0.005      | 0.104      | B     |
| 6.6931.817                 | 3061                            | 19.983                                               | 19.679                                                    | 19.724                                                | 19.631                                                    | -0.304     | -0.093     | A     |
| 13.5957.489                | 3400                            | 19.607                                               | 19.530                                                    | 19.443                                                | 19.469                                                    | -0.077     | 0.026      | B     |
| 13.6199.527                | 3412                            | 19.596                                               | 19.460                                                    | 19.403                                                | 19.425                                                    | -0.136     | 0.022      | B     |
| 6.7053.758                 | 3805                            | 19.567                                               | 19.415                                                    | 19.387                                                | 19.402                                                    | -0.152     | 0.015      | A     |
| 6.6811.752                 | 3948                            | 19.497                                               | 19.331                                                    | 19.283                                                | 19.292                                                    | -0.166     | 0.009      | A     |
| 13.5837.629                | 4540                            | 19.443                                               | 19.450                                                    | 19.358                                                | 19.414                                                    | 0.007      | 0.056      | B     |
| 13.5837.382                | 4859                            | 19.278                                               | 19.294                                                    | 19.152                                                | 19.240                                                    | 0.016      | 0.088      | B     |
| 6.6811.591                 | 4933                            | 19.387                                               | 19.127                                                    | 19.141                                                | 19.103                                                    | -0.260     | -0.038     | A     |
| 13.5837.566                | 5902                            | 19.169                                               | 19.165                                                    | 19.047                                                | 19.121                                                    | -0.004     | 0.074      | B     |
| 13.6079.125                | 5952                            | 18.444                                               | 18.463                                                    | 18.392                                                | 18.459                                                    | 0.019      | 0.067      | B     |
| 6.7054.713                 | 6415                            | 19.436                                               | 19.215                                                    | 19.275                                                | 19.206                                                    | -0.221     | -0.069     | A     |
| 13.5838.576                | 6440                            | 19.133                                               | 19.280                                                    | 19.038                                                | 19.247                                                    | 0.147      | 0.213      | B     |
| 13.6201.449                | 7063                            | 19.195                                               | 19.213                                                    | 19.147                                                | 19.195                                                    | 0.018      | 0.048      | B     |
| 6.7054.582                 | 7477                            | 19.408                                               | 19.249                                                    | 19.148                                                | 19.183                                                    | -0.159     | 0.035      | A     |
| 6.7054.373                 | 7609                            | 19.617                                               | 19.340                                                    | 19.299                                                | 19.313                                                    | -0.277     | 0.014      | A     |
| 13.6080.435                | 7620                            | 19.108                                               | 19.133                                                    | 19.014                                                | 19.079                                                    | 0.025      | 0.065      | B     |
| 6.6933.1036                | 8788                            | 19.706                                               | 19.482                                                    | 19.413                                                | 19.444                                                    | -0.224     | 0.031      | A     |
| 6.6933.953                 | 9154                            | 19.780                                               | 19.569                                                    | 19.534                                                | 19.522                                                    | -0.211     | -0.012     | A     |
| 6.6813.1071                | 10487                           | 19.838                                               | 19.603                                                    | 19.581                                                | 19.569                                                    | -0.235     | -0.012     | A     |
| 13.6078.615                | 10692                           | 19.568                                               | 19.574                                                    | 19.463                                                | 19.548                                                    | 0.006      | 0.085      | B     |
| 13.6078.672                | 10811                           | 19.538                                               | 19.492                                                    | 19.363                                                | 19.431                                                    | -0.046     | 0.068      | B     |
| 6.6931.779                 | 10914                           | 19.853                                               | 19.784                                                    | 19.704                                                | 19.767                                                    | -0.069     | 0.063      | A     |
| 13.5957.581                | 14449                           | 19.459                                               | 19.450                                                    | 19.385                                                | 19.514                                                    | -0.009     | 0.129      | B     |
| 6.6690.904                 | 15387                           | 19.814                                               | 19.630                                                    | 19.533                                                | 19.612                                                    | -0.184     | 0.079      | A     |
| 6.6811.969                 | 16249                           | 19.674                                               | 19.430                                                    | 19.372                                                | 19.379                                                    | -0.244     | 0.007      | A     |
| 13.6080.645                | 22917                           | 19.439                                               | 19.462                                                    | 19.321                                                | 19.427                                                    | 0.023      | 0.106      | B     |
| 13.6080.584                | 24089                           | 19.450                                               | 19.370                                                    | 19.324                                                | 19.365                                                    | -0.080     | 0.041      | B     |
| 6.7055.830                 | 26933                           | 19.597                                               | 19.355                                                    | 19.303                                                | 19.295                                                    | -0.242     | -0.008     | A     |
| 6.7055.1045                | 28539                           | 19.945                                               | 19.592                                                    | 19.631                                                | 19.533                                                    | -0.353     | -0.098     | A     |


**Table 11.** Comparison with MACHO photometry for the variable stars in common: Alves subsample

| $\text{Id}_{\text{MACHO}}$ | $\text{Id}_{\text{this paper}}$ | $\langle V_{\text{MACHO}} \rangle$<br>(mag-averaged) | $\langle V_{\text{this paper}} \rangle$<br>(mag-averaged) | $\langle V_{\text{Alves}} \rangle$<br>(int-averaged) | $\langle V_{\text{this paper}} \rangle$<br>(int-averaged) | $\text{Type}_{\text{MACHO}}$ | $\text{Type}_{\text{this paper}}$ |
|----------------------------|---------------------------------|------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------|------------------------------|-----------------------------------|
| 6.6931.650                 | 2767                            | 19.602                                               | 19.517                                                    | 19.359                                               | 19.467                                                    | RRab                         | RRab                              |
| 6.6810.428                 | 3155                            | 19.338                                               | 19.218                                                    | 19.127                                               | 19.209                                                    | RRc                          | RRd                               |
| 13.6691.4052               | 4420                            | 19.402                                               | 19.417                                                    | 19.380                                               | 19.409                                                    | —                            | RRd                               |
| 6.6811.736                 | 6426                            | 19.421                                               | 19.227                                                    | 19.101                                               | 19.185                                                    | RRab                         | RRab                              |
| 13.7054.2970               | 7137                            | 19.150                                               | —                                                         | 19.309                                               | 19.413                                                    | RRd                          | RRd                               |
| 6.7054.373                 | 7609                            | 19.617                                               | 19.340                                                    | 19.290                                               | 19.313                                                    | RRab                         | RRab                              |
| 6.6933.939                 | 8654                            | 19.440                                               | 19.275                                                    | 19.233                                               | 19.269                                                    | RRe                          | RRd                               |
| 6.6933.1036                | 8788                            | 19.706                                               | 19.482                                                    | 19.402                                               | 19.444                                                    | RRab                         | RRab                              |
| 6.6692.853                 | 10214                           | 19.440                                               | 19.217                                                    | 19.189                                               | 19.204                                                    | RRab                         | RRab                              |
| 13.5835.395                | 1575                            | 19.262                                               | 19.290                                                    | 19.163                                               | 19.250                                                    | RRab                         | RRab                              |
| 13.6078.524                | 3054                            | 19.084                                               | —                                                         | 18.953                                               | 19.066                                                    | RRab                         | RRab                              |
| 13.5836.525                | 3347                            | 19.145                                               | 19.211                                                    | 19.120                                               | 19.204                                                    | RRc                          | RRd                               |
| 13.6199.527                | 3412                            | 19.596                                               | 19.460                                                    | 19.422                                               | 19.425                                                    | RRab                         | RRab                              |
| 13.5958.518                | 4509                            | 19.210                                               | 19.468                                                    | 19.336                                               | 19.462                                                    | RRd                          | RRd                               |
| 13.5838.497                | 6470                            | 19.224                                               | 19.218                                                    | 19.197                                               | 19.207                                                    | RRc                          | RRd                               |
| 13.6080.591                | 7467                            | 19.076                                               | 19.055                                                    | 19.040                                               | 19.043                                                    | RRc                          | RRd                               |
| 13.6080.645                | 22917                           | 19.439                                               | 19.462                                                    | 19.327                                               | 19.427                                                    | RRab                         | RRab                              |
| 13.6080.584                | 24089                           | 19.450                                               | 19.370                                                    | 19.323                                               | 19.365                                                    | RRab                         | RRab                              |

Notes: Stars # 7137 and # 4509 do not appear in the MACHO on-line catalogue, values in Column 3 for these stars are taken from A97 (see their Table 1).

classified RRd by A97) along with photometry for the non-variable stars falling in  $\sim 4' \times 4'$  patches surrounding these RR Lyrae stars. These photometric data are calibrated according to A99 and Alcock et al. (2004) calibrations (Alves 2004, private communication). Counteridentifications and

average magnitudes of these 18 stars are given in Table 11. The comparison between intensity-averaged magnitudes is generally good, (see columns 5 and 6 of Table 11 and bottom panel of Figure 18), with Alves values being 0.061 mag **brighter** ( $\sigma = 0.042$ , 18 stars) than ours and with-



**Fig. 20.** Comparison with MACHO photometry (Alves subsample) for non-variable stars brighter than 18.25 mag. Residuals are this paper minus MACHO. Lines indicate the linear fits of the average residuals of all bins.

out significant differences between field A and B. The corresponding comparison using the magnitude-averaged luminosities of these RR Lyrae stars available on MACHO web pages leads to a different result: MACHO web values are on average 0.067 mag **fainter** than ours (see Columns 3 and 4 of Table 11).


#### 4.2.5. Comparison with MACHO photometry for the non-variable stars: Alves subsample

**Table 12.** Comparison with MACHO photometry for the non-variable stars with  $V < 18.25$ , from Alves subsample

| Bin           | $\langle \Delta V \rangle$ | $\sigma$ | N  |
|---------------|----------------------------|----------|----|
| Field A       |                            |          |    |
| 15.00 – 17.00 | 0.045                      | 0.021    | 64 |
| 17.00 – 17.25 | 0.055                      | 0.031    | 34 |
| 17.25 – 17.50 | 0.043                      | 0.011    | 31 |
| 17.50 – 17.75 | 0.037                      | 0.027    | 58 |
| 17.75 – 18.00 | 0.038                      | 0.021    | 81 |
| 18.00 – 18.25 | 0.045                      | 0.025    | 88 |
| Field B       |                            |          |    |
| 15.00 – 17.00 | 0.026                      | 0.029    | 61 |
| 17.00 – 17.25 | 0.022                      | 0.037    | 36 |
| 17.25 – 17.50 | 0.027                      | 0.041    | 29 |
| 17.50 – 17.75 | 0.011                      | 0.031    | 30 |
| 17.75 – 18.00 | 0.012                      | 0.029    | 57 |
| 18.00 – 18.25 | 0.010                      | 0.022    | 62 |

Notes:  $\langle \Delta V \rangle = \langle V_{\text{this paper}} - V_{\text{Alves}} \rangle$

The non-variable stars in common were counteridentified by coordinates. They correspond to a total number of



**Fig. 21.** Same as Figure 20 for non-variable stars with  $18.25 < V < 21$  mag.

**Table 13.** Comparison with MACHO photometry for the non-variable stars with  $18.25 < V < 21$ , from Alves subsample

| Bin           | $\langle \Delta V \rangle$ | $\sigma$ | N   |
|---------------|----------------------------|----------|-----|
| Field A       |                            |          |     |
| 18.25 – 18.50 | 0.030                      | 0.027    | 123 |
| 18.50 – 18.75 | 0.032                      | 0.030    | 133 |
| 18.75 – 19.00 | 0.024                      | 0.031    | 188 |
| 19.00 – 19.25 | 0.035                      | 0.037    | 502 |
| 19.25 – 19.50 | 0.037                      | 0.042    | 673 |
| 19.50 – 19.75 | 0.013                      | 0.049    | 329 |
| 19.75 – 20.00 | 0.035                      | 0.063    | 327 |
| 20.00 – 20.25 | 0.035                      | 0.065    | 445 |
| 20.25 – 20.50 | 0.033                      | 0.098    | 603 |
| 20.50 – 20.75 | 0.054                      | 0.110    | 753 |
| 20.75 – 21.00 | 0.045                      | 0.129    | 826 |
| Field B       |                            |          |     |
| 18.25 – 18.50 | 0.001                      | 0.030    | 98  |
| 18.50 – 18.75 | 0.012                      | 0.034    | 115 |
| 18.75 – 19.00 | -0.001                     | 0.032    | 164 |
| 19.00 – 19.25 | 0.014                      | 0.040    | 438 |
| 19.25 – 19.50 | 0.028                      | 0.055    | 426 |
| 19.50 – 19.75 | 0.019                      | 0.060    | 268 |
| 19.75 – 20.00 | 0.017                      | 0.057    | 280 |
| 20.00 – 20.25 | 0.020                      | 0.074    | 373 |
| 20.25 – 20.50 | 0.027                      | 0.087    | 466 |
| 20.50 – 20.75 | 0.041                      | 0.119    | 647 |
| 20.75 – 21.00 | 0.057                      | 0.116    | 694 |

Notes:  $\langle \Delta V \rangle = \langle V_{\text{this paper}} - V_{\text{Alves}} \rangle$

18996 stars (10467 in field A, and 8529 in field B, respectively).

Comparison between the two photometries was done dividing the stars into a bright and a faint sample corresponding respectively to objects with  $V < 18.25$  mag (356 stars in field A, and 275 in field B) and objects with  $18.25 < V < 21$  mag (4902 stars in field A, and 3969 in field B). Within each subsample stars were fur-



ther divided into magnitude bins 0.25 mag wide. Average residuals were computed adopting a  $\sigma$  rejection procedure that discarded objects deviating more than  $2\sigma$  from the average in the bin. In Table 12 we list the mean differences  $V_{this\ paper} - V_{Alves}$  of the stars in the bright sub-sample (for objects in field A and B separately), with their respective  $\sigma$  and number of stars per magnitude bin. Transformation equations between the two photometries were then computed as the linear fit of the average residuals of all bins. They are:

$$V_{this\ paper} - V_{Alves} = -0.0028 \times V_{this\ paper} + 0.0916$$

in field A (356 objects) and:

$$V_{this\ paper} - V_{Alves} = -0.0025 \times V_{this\ paper} + 0.0438$$

in field B (275 stars). These linear fits are shown in Figure 20.

The same comparison done on the stars with  $18.25 < V < 21$  mag is provided in Table 13 and shown in Figure 21. The transformation equations in this magnitude range using a linear fit with a  $2\sigma$  rejection are:

$$V_{this\ paper} - V_{Alves} = 0.0067 \times V_{this\ paper} - 0.0953$$

in field A (4902 objects) and:

$$V_{this\ paper} - V_{Alves} = 0.0177 \times V_{this\ paper} - 0.3251$$

in field B (3969 stars).

### 4.3. Comparison with OGLE II photometry

The partial overlap of our field A with OGLE II field LMC\_SC21 (Udalski et al. 2000) gave us the possibility to make a detailed comparison between the two photometries based on a large number of stars covering a wide magnitude range. We have retrieved from the OGLE archive <sup>5</sup> the photometric data corresponding to field LMC\_SC21. The overlapping region corresponds to 42.25% and 9.84% of our and OGLE II fields, respectively. This region is located at roughly  $5:21:29.9 < \alpha < 5:22:38.6$  and  $-70:41:00.9 < \delta < -70:27:18.4$ , corresponding to  $1218.95 < X < 2047.44$  and  $2976.78 < Y < 4967.58$  in OGLE II coordinate system. Inside this area OGLE II has  $B, V, I$  photometry for 15524, 17067 and 17582 stars, respectively, to compare with our 21524 objects. Our limiting magnitude is about 1.5 mag fainter and we resolved about 39, 26, and 22% more stars (in  $B$ ,  $V$  and  $I$ , respectively) than OGLE II. Coordinates were aligned to OGLE II coordinate system and stars in common were counteridentified. Over the total sample of 14734 common stars there are 13688, 14483 and 14734 objects with  $B$ ,  $V$  and  $I$  magnitude in the ranges 12.5–22.7, 12.6–23.1 and 12.3–21.6, respectively. Among these objects OGLE


II reports 39 variable stars<sup>6</sup>. We recovered all of them. Counteridentifications are provided in Table 14 along with average luminosities and classification in types in the two photometries. There is general agreement in the type classification and in the derived periods that, on average, agree within 2-3 decimal digits. OGLE II classification does not match ours for 4 variable stars, namely the new candidate RRd, 2 candidate Anomalous Cepheids and star # 5148 that we classify as R Rab while is classified RRc by OGLE II. A further object, star Id<sub>SC\_21</sub>=116626 is classified by OGLE II as CepFA; however, OGLE II light curves for this star are rather poor and the corresponding object in our photometry (# 22592) was not found to vary. Finally, we have three additional variables in the area in common that were apparently missed by OGLE II: an RRc, a binary system, and a  $\delta$  Scuti star, which are listed at the bottom of Table 14. For 3 variables (namely stars # 9604, 10320, and 25510) there is a large discrepancy between OGLE II and our  $V$  average magnitudes. Two of these stars (# 9604 and 10320) were discussed in Section 3.2. Similarly to them, star # 25510 has a very poor  $V$  light curve in OGLE II photometry and an average  $V$  magnitude 0.62 mag fainter than ours, leading to unrealistic  $< B - V > = -0.11$  and  $< V - I > = 1.04$  colours for an RR Lyrae star. We suspect that these 3 stars may have been wrongly counteridentified in the various photometric bands. Figure 22 shows the point-to-point comparison of the  $V$  light curves for 3  $ab$ -type RR Lyrae stars and one Cepheid representing respectively the best agreement (left panels) and the worst (right panels) comparison between the two photometries (excluding the 3 above mentioned discrepant stars). Large discrepancies are also found among the  $B$  magnitudes of stars # 4313 and 8723, that, in the case of the first object, lead in OGLE II photometry to a colour  $< B - V > = 0.85$  mag rather red for an RR Lyrae star.

The comparison between our and OGLE II mean  $V, B$  magnitudes for variable stars in common with complete light curves and no systematic shifts between our 1999 and 2001 photometry is shown in Figure 23. Average differences are  $\Delta V = 0.01$  mag ( $\sigma = 0.11$ , 30 stars discarding stars # 9604, 10320 and 25510, open circles in Figure 23) and  $\Delta B = 0.04$  mag ( $\sigma = 0.15$ , 29 stars, discarding also star # 19711 that does not have  $B$  magnitude in OGLE-II), respectively. These average differences do not change restricting the comparison only to the RR Lyrae stars. Our photometry is on average slightly fainter than OGLE-II, again as expected on the basis of the different reduction procedures used in the two photometries (see Section


<sup>6</sup> from files:

ftp://sirius.astrouw.edu.pl/ogle/ogle2/var\_stars/lmc/rrlyr/lmc\_sc21/lmc\_sc21.tab  
 ftp://sirius.astrouw.edu.pl/ogle/ogle2/var\_stars/lmc/rrlyr/dmod.tab  
 ftp://sirius.astrouw.edu.pl/ogle/ogle2/var\_stars/lmc/rrlyr/other.tab  
 ftp://sirius.astrouw.edu.pl/ogle/ogle2/var\_stars/lmc/cep  
 /catalog/lmc\_sc21/lmc\_sc21.tab  
 ftp://bulge.princeton.edu/ogle/ogle2/var\_stars/lmc/cep/dmcep/tab2.txt  
 ftp://sirius.astrouw.edu.pl/ogle/ogle2/var\_stars/lmc/ecl/lmc\_sc21

<sup>5</sup> ftp://sirius.astrouw.edu.pl/ogle/ogle2/maps/lmc



**Fig. 22.** Point-to-point comparison of the  $V$  light curves for 3 *ab*-type RR Lyrae stars and a Classical Cepheid (lower right panel) in common with OGLE II. Filled dots: our photometry, three arms crosses: OGLE II photometry. As in Figure 19, these represent the best (left) and worst (right) cases.



**Fig. 23.** Comparison between our and Ogle II mean  $V$  and  $B$  magnitudes for the variable stars in common. Residuals are: this paper – OGLE II. Open symbols are used for the most deviating stars (see text).

4.1). The average  $V$  magnitude of the RR Lyrae stars in common using objects with reliable photometry in both datasets is  $\langle V_{RR} \rangle = 19.444$  mag ( $\sigma = 0.181$ , 24 stars) and  $\langle V_{RR} \rangle = 19.427$  mag ( $\sigma = 0.160$ , 24 stars) in our and OGLE-II photometry, respectively. These values are in good agreement with each other and with the average  $V$  luminosity of our full sample of RR Lyrae stars in field A (see end of Section 3.1 and C03), but about 0.06-0.08 mag fainter than the average  $V$  magnitude from the total


sample of OGLE II LMC RRAb's:  $\langle V_{RR} \rangle = 19.36 \pm 0.03$  mag (and  $\langle V_{RR} \rangle = 19.31 \pm 0.021$  mag for the RRC's) by Soszyński et al. (2003). Given the small sample of variable stars in common this systematic shift might appear not very statistically significant, however it is fully confirmed by the comparison done on the much larger number of non variable stars at the same magnitude level (see remaining part of this section and Table 15).

$B$ ,  $V$  and  $I$  residuals between our and OGLE II photometry for the non variable stars in common are shown in Figure 24, while in Figure 25 we plot the corresponding CMDs (left panels: present paper; right panels: OGLE II photometry). Our  $B, V$  photometry is generally more accurate and deeper than OGLE's. Objects falling off the main ridge lines of OGLE II  $V, B - V$  CMD for  $V > 20.0$  and  $(B - V) < 0.2$  are likely wrong measurements in OGLE II photometry (e.g., blends, wrong identifications, and wrong counteridentifications between  $V$  and  $B$ ) since they fall very well on the main branches of our diagram. In the  $I$  band our photometry appears to be more uncertain. However, the objects that deviate most in our  $I$  photometry ( $I > 20.0$  and  $V - I < 0.0$ ) have magnitudes generally well below the magnitude level of RR Lyrae and clump stars, that are the luminosity levels we are mainly interested in.

**Table 14.** Variable stars inside the area in common with OGLE II field LMC\_SC21.

| Name                   | Type        | Id           | $\langle V \rangle$ | $\langle B \rangle$ | $\langle I \rangle$ | Id                | Type              | $\langle V \rangle$ | $\langle B \rangle$ | $\langle I \rangle$ | $\Delta V$ | $\Delta B$ |
|------------------------|-------------|--------------|---------------------|---------------------|---------------------|-------------------|-------------------|---------------------|---------------------|---------------------|------------|------------|
| <i>OGLE</i>            | <i>OGLE</i> | <i>SC_21</i> | <i>OGLE</i>         | <i>OGLE</i>         | <i>OGLE</i>         | <i>this paper</i> | <i>this paper</i> | <i>this paper</i>   | <i>this paper</i>   | <i>this paper</i>   |            |            |
| OGLE052133.45-703951.6 | RRc         | 111870       | 19.29               | 19.57               | 18.90               | 2249              | RRdm              | 19.372              | 19.704              | 18.878              | 0.08       | 0.13       |
| OGLE052130.54-703711.5 | RRab        | 112191       | 19.48               | 20.01               | 18.86               | 15387             | RRab              | 19.612              | 20.043              | —                   | 0.13       | 0.03       |
| OGLE052131.78-703646.5 | RRc         | 114344       | 19.48               | 19.77               | 18.99               | 4388              | RRc               | 19.427              | 19.758              | —                   | -0.05      | -0.01      |
| OGLE052148.39-703026.1 | CepFU       | 116226       | 16.12               | 16.67               | 15.46               | 183               | Cep               | 16.259              | 16.830              | 15.566              | 0.14       | 0.16       |
| OGLE052134.12-703024.8 | RRab        | 116880       | 19.72               | 20.15               | 19.02               | 25301             | RRab              | 19.766              | 20.237              | —                   | 0.05       | 0.09       |
| OGLE052133.57-703157.5 | RRdm        | 117174       | 19.45               | 19.91               | 18.99               | 23032             | RRdm              | 19.597              | 19.993              | —                   | 0.15       | 0.08       |
| OGLE052148.90-702801.2 | RRc         | 119123       | 19.44               | 19.27               | 17.91               | 10320             | AC                | 18.655              | 19.236              | —                   | -0.79      | -0.03      |
| OGLE052154.07-702917.8 | RRab        | 119283       | 19.58               | 20.09               | 18.92               | 26821             | RRab              | 19.624              | 20.097              | 19.097              | 0.04       | 0.01       |
| OGLE052146.25-702813.5 | RRab        | 119434       | 19.46               | 19.96               | 18.76               | 28293             | RRab              | 19.520              | 20.053              | —                   | 0.06       | 0.09       |
| OGLE052131.26-702812.2 | RRab        | 119439       | 19.21               | 19.63               | 18.59               | 10214             | RRab              | 19.204              | 19.639              | —                   | -0.01      | 0.01       |
| OGLE052152.61-702929.0 | RRab        | 119754       | 19.45               | 19.86               | 18.93               | 26525             | RRab              | 19.473              | 19.913              | —                   | 0.02       | 0.05       |
| OGLE052212.39-704010.0 | CepFO       | 159587       | 15.69               | 16.18               | 15.07               | 40                | Cep               | 15.753              | 16.237              | 15.212              | 0.06       | 0.06       |
| OGLE052235.42-703828.6 | RRdm        | 160118       | 19.23               | 19.51               | 18.68               | 3155              | RRdm              | 19.209              | 19.577              | 18.792              | -0.02      | 0.07       |
| OGLE052157.21-703826.1 | RRe         | 160121       | 19.22               | 19.54               | 18.68               | 3216              | RRc               | —                   | —                   | —                   | —          | —          |
| OGLE052222.37-704000.1 | RRe         | 160409       | 19.70               | 20.11               | 19.32               | 2119              | RRc               | 19.659              | 19.986              | 19.407              | -0.04      | -0.12      |
| OGLE052216.65-703950.4 | RRc         | 160428       | 19.48               | 19.79               | 19.06               | 2223              | RRc               | 19.556              | 19.836              | 19.136              | 0.08       | 0.05       |
| OGLE052230.17-703553.8 | RRab        | 162785       | 19.24               | 19.63               | 18.60               | 4933              | RRab              | 19.103              | 19.531              | 18.542              | -0.14      | -0.10      |
| OGLE052159.82-703535.3 | RRab        | 162827       | 19.35               | 19.77               | 18.68               | 5167              | RRab              | 19.359              | 19.837              | 18.808              | 0.01       | 0.07       |
| OGLE052221.06-703534.2 | RRc         | 162831       | 19.02               | 19.41               | 18.40               | 5148              | RRab              | —                   | —                   | —                   | —          | —          |
| OGLE052209.71-703502.8 | RRab        | 162907       | 19.52               | 20.02               | 18.86               | 5589              | RRab              | 19.574              | 20.079              | 18.942              | 0.05       | 0.06       |
| OGLE052232.64-703348.9 | RRab        | 163060       | 19.15               | 19.57               | 18.57               | 6426              | RRab              | 19.185              | 19.584              | 18.555              | 0.04       | 0.01       |
| OGLE052208.39-703631.3 | RRab        | 163171       | 19.38               | 19.67               | 18.77               | 16249             | RRab              | 19.379              | 19.671              | —                   | 0.00       | 0.09       |
| OGLE052238.32-703402.1 | RRab        | 163532       | 19.49               | —                   | 18.72               | 19711             | RRab              | 19.200              | 19.535              | 18.607              | -0.29      | —          |
| OGLE052210.67-703315.2 | CepFU       | 165209       | 16.23               | 16.83               | 15.48               | 150               | Cep               | 16.251              | 16.837              | 15.524              | 0.02       | 0.01       |
| OGLE052221.29-703244.2 | RRab        | 165596       | 19.37               | 19.84               | 18.83               | 7211              | RRab              | —                   | —                   | —                   | —          | —          |
| OGLE052230.18-703220.8 | RRab        | 165650       | 19.52               | 20.07               | 18.83               | 7468              | RRab              | 19.615              | 20.127              | 18.850              | 0.10       | 0.06       |
| OGLE052207.98-703200.1 | RRab        | 165710       | 19.43               | 20.06               | 18.79               | 7734              | RRab              | —                   | —                   | —                   | —          | —          |
| OGLE052226.55-703019.3 | RRc         | 165913       | 19.46               | 19.77               | 18.89               | 8812              | RRc               | 19.397              | 19.767              | 18.821              | -0.06      | -0.00      |
| OGLE052213.53-703011.8 | RRab        | 165930       | 19.77               | 19.66               | 18.73               | 25510             | RRab              | 19.150              | 19.614              | 18.554              | -0.62      | -0.05      |
| OGLE052229.04-703036.1 | RRc         | 166393       | 19.49               | 19.82               | 19.01               | 8622              | RRc               | 19.542              | 19.868              | 19.103              | 0.05       | 0.05       |
| OGLE052207.18-702907.7 | RRab        | 168608       | 19.66               | 19.21               | 18.45               | 9604              | AC                | 18.932              | 19.234              | 18.550              | -0.73      | 0.02       |
| OGLE052214.15-702835.3 | RRc         | 168696       | 19.25               | 19.53               | 18.71               | 27697             | RRc               | 19.166              | 19.541              | —                   | -0.08      | 0.01       |
| OGLE052224.72-702740.8 | RRab        | 168833       | 19.49               | 19.77               | 18.89               | 10487             | RRab              | 19.569              | 20.022              | 18.886              | 0.08       | 0.25       |
| OGLE052206.67-702755.9 | RRc         | 169354       | 19.79               | 20.01               | 19.23               | 28665             | RRc               | —                   | —                   | —                   | —          | —          |
| OGLE052134.09-703652.8 | RRab        | 111805       | 19.46               | 20.31               | 18.77               | 4313              | RRab              | 19.270              | 19.779              | 18.451              | -0.19      | -0.53      |
| OGLE052213.85-700927.2 | EB          | 165895       | 19.32               | 19.48               | 18.81               | 8723              | EB?               | 19.152              | 19.859              | —                   | -0.17      | 0.38       |
| OGLE052219.01-703311.0 | RRab        | 166016       | 19.16               | 19.67               | 18.73               | 21007             | RRab              | 19.319              | 19.841              | 18.487              | 0.16       | 0.17       |
| OGLE052214.83-702807.0 | RRab        | 169311       | 19.68               | 20.02               | 19.06               | 28246             | RRab              | 19.605              | 20.030              | 19.144              | -0.08      | 0.01       |
| OGLE052155.09-703212.3 | CepFA       | 116626       | 19.40               | 20.42               | 18.32               | 22592             | (1)               | —                   | —                   | —                   | —          | —          |
| OGLE052235.68-702815.9 | —           | 169285       | —                   | —                   | —                   | 28114             | $\delta$ S        | 19.940              | 20.273              | —                   | —          | —          |
| OGLE052153.64-703635.4 | —           | 114367       | —                   | —                   | —                   | 4490              | EB                | 19.016              | 19.011              | 19.017              | —          | —          |
| OGLE052129.44-702923.6 | —           | 119268       | —                   | —                   | —                   | 26715             | RRc               | 19.378              | 19.725              | —                   | —          | —          |

(1) Star OGLE052155.09-703212.3, (Id<sub>SC\_21</sub> = 116626), is classified by OGLE II as CepFA, however OGLE II light curves for this star are rather poor and the corresponding object in our photometry (# 22592) is not was found to vary.



**Fig. 24.** Comparison between our and OGLE II photometry for the about 14,000 stars in common. Residuals are this paper minus OGLE II.

In order to make a more meaningful comparison of the two photometries we restricted the sample of the stars in common only to objects brighter than  $V=20.5$ ,  $B=21.25$ , and  $I=20.25$  mag. Average residuals were computed dividing the objects in magnitude bins and applying an iterative  $\sigma$ -rejection procedure which discarded objects deviating more than  $3\sigma$  from the average in the bin. Results are summarized in Table 15 (they are based on 5414, 6705, and 7631 stars in  $V$ ,  $B$ ,  $I$  respectively). At the magnitude level of RR Lyrae and clump stars ( $V \sim 19.4$ ,  $B \sim 19.8$ ,  $I \sim 18.8$ ; and  $V \sim 19.3$ ,  $B \sim 20.2$ ,  $I \sim 18.3$ , respectively) offsets are:  $\Delta V = 0.06$  ( $\sigma_V=0.03$ ),  $\Delta B = 0.03$  ( $\sigma_B=0.04$ ),  $\Delta I = 0.04$  ( $\sigma_I=0.05$ ), and  $\Delta V = 0.06$  ( $\sigma_V=0.03$ ),  $\Delta B = 0.03-0.04$  ( $\sigma_B=0.05$ ),  $\Delta I = 0.06$  ( $\sigma_I=0.05$ ). Our photometry is systematically fainter than OGLE II photometry, again as expected since DoPhot is reported to give systematically brighter magnitudes for faint stars in crowded regions than DAOPHOT/ALLFRAME, and since we resolve many more faint stars than OGLE II in the area in common. Transformation equations between the two photometries were then computed as linear fits of the average residuals of all the bins:

$$B_{\text{this paper}} - B_{\text{OGLE}} = 0.00835 \times B_{\text{this paper}} - 0.13507$$


$$V_{\text{this paper}} - V_{\text{OGLE}} = 0.00751 \times V_{\text{this paper}} - 0.08626$$

$$I_{\text{this paper}} - I_{\text{OGLE}} = -0.00622 \times I_{\text{this paper}} + 0.15914$$

Thus the transformation relations between OGLE II and our photometry are:

$$B_{\text{this paper}} = 1.0084 \times B_{\text{OGLE}} - 0.1362$$

$$V_{\text{this paper}} = 1.0076 \times V_{\text{OGLE}} - 0.0869$$



**Fig. 25.**  $V$  vs  $(B - V)$  and  $V$  vs  $(V - I)$  CMDs for the stars in common between our field A and OGLE II field LMC\_SC21. Left panels: this paper; right panels: OGLE II.

$$I_{\text{this paper}} = 0.9938 \times I_{\text{OGLE}} + 0.1582$$


## 5. The pulsation characteristics of the RR Lyrae stars

We have detected and derived periods for a total number of 135 RR Lyrae stars in our two fields (78 in field A, and 57 in field B). This number includes 87 fundamental mode (RRab), 38 first overtone (RRc), and 10 double-mode (RRd) pulsators. According to the completeness of our photometry and the comparison with MACHO and OGLE II catalogues (Sections 4.2 and 4.3) our sample of variables should be about 97% complete. The two fields are found to contain about the same number of first overtone RR Lyrae (20 in field A and 18 in field B) while the number of fundamental mode pulsators is about 50% larger in field A (52 RRab) than in field B (35 RRab). We found that 17% of the fundamental mode RR Lyraes in our two fields are (or are suspected to be) affected by the Blazhko phase and amplitude modulation of the light curve (Blazhko 1907). This percentage is consistent with the 11.9% and the 15% Blazhko incidence rates among RRab's reported respectively by MACHO (Alcock et al. 2003b) and OGLE II (Soszyński et al. 2003), and maybe closer to the 20%-30% incidence rate commonly found for the Milky Way fundamental mode RR Lyrae (Szeidl 1988, Moskalik & Poretti 2003). The first-overtone Blazhko variables are the 5.3% of our RRc sample, again in agreement with both MACHO ( $\sim 4\%$ , Alcock et al. 2003b), and OGLE II ( $\sim 6\%$ , Soszyński et al. 2003). Figure 26 shows the period distribution of the single-mode RR Lyrae's (125 objects).



**Table 15.** Comparison of our and OGLE II photometry for the non variable stars in common.  $\langle \Delta V \rangle, \langle \Delta B \rangle, \langle \Delta I \rangle$  are: this paper – OGLE II

| Bin         | $\langle \Delta V \rangle$ | $\sigma_V$ | N    | Bin         | $\langle \Delta B \rangle$ | $\sigma_B$ | N    | Bin         | $\langle \Delta I \rangle$ | $\sigma_I$ | N    |
|-------------|----------------------------|------------|------|-------------|----------------------------|------------|------|-------------|----------------------------|------------|------|
| 15.00-17.00 | 0.045                      | 0.017      | 64   | 16.00-17.00 | 0.014                      | 0.036      | 16   | 14.00-15.00 | 0.063                      | 0.053      | 35   |
| 17.00-17.25 | 0.044                      | 0.027      | 60   | 17.00-17.50 | -0.006                     | 0.091      | 22   | 15.00-16.00 | 0.070                      | 0.044      | 129  |
| 17.25-17.50 | 0.044                      | 0.021      | 76   | 17.50-18.00 | 0.009                      | 0.027      | 24   | 16.00-17.00 | 0.056                      | 0.040      | 300  |
| 17.50-17.75 | 0.044                      | 0.023      | 96   | 18.00-18.25 | 0.025                      | 0.036      | 28   | 17.00-17.50 | 0.052                      | 0.042      | 273  |
| 17.75-18.00 | 0.043                      | 0.025      | 107  | 18.25-18.50 | 0.011                      | 0.036      | 51   | 17.50-18.00 | 0.042                      | 0.033      | 368  |
| 18.00-18.25 | 0.048                      | 0.028      | 122  | 18.50-18.75 | 0.017                      | 0.032      | 88   | 18.00-18.25 | 0.040                      | 0.037      | 626  |
| 18.25-18.50 | 0.048                      | 0.026      | 174  | 18.75-19.00 | 0.022                      | 0.030      | 149  | 18.25-18.50 | 0.055                      | 0.045      | 1040 |
| 18.50-18.75 | 0.043                      | 0.021      | 194  | 19.00-19.25 | 0.026                      | 0.034      | 161  | 18.50-18.75 | 0.052                      | 0.049      | 479  |
| 18.75-19.00 | 0.049                      | 0.026      | 250  | 19.25-19.50 | 0.031                      | 0.038      | 218  | 18.75-19.00 | 0.043                      | 0.054      | 344  |
| 19.00-19.25 | 0.049                      | 0.030      | 628  | 19.50-19.75 | 0.034                      | 0.030      | 330  | 19.00-19.50 | 0.045                      | 0.062      | 966  |
| 19.25-19.50 | 0.062                      | 0.032      | 1105 | 19.75-20.00 | 0.032                      | 0.042      | 524  | 19.50-19.75 | 0.027                      | 0.080      | 723  |
| 19.50-19.75 | 0.069                      | 0.036      | 579  | 20.00-20.25 | 0.026                      | 0.049      | 1115 | 19.75-20.00 | 0.031                      | 0.091      | 1008 |
| 19.75-20.00 | 0.068                      | 0.044      | 510  | 20.25-20.50 | 0.044                      | 0.047      | 1125 | 20.00-20.25 | 0.035                      | 0.113      | 1340 |
| 20.00-20.25 | 0.067                      | 0.051      | 611  | 20.50-20.75 | 0.035                      | 0.063      | 864  |             |                            |            |      |
| 20.25-20.50 | 0.073                      | 0.063      | 838  | 20.75-21.00 | 0.039                      | 0.066      | 944  |             |                            |            |      |
|             |                            |            |      | 21.00-21.25 | 0.038                      | 0.082      | 1046 |             |                            |            |      |


**Fig. 26.** Number *vs* Period histogram of the single-mode RR Lyrae variables in our sample (125 objects).

The two peaks correspond to the average period of the *c*- and *ab*-type pulsators, respectively:  $\langle P_{RRc} \rangle = 0.324$  days ( $\sigma = 0.048$ , 38 stars) and  $\langle P_{RRab} \rangle = 0.581$  days ( $\sigma = 0.071$ , 87 stars), to compare with 0.342 and 0.583 day of A96, and with 0.339 and 0.573 days by Soszyński et al. (2003). Our average periods are in good agreement with both A96 and Soszyński et al. (2003) results, which are based on much larger samples, and confirm that the average period of the *ab*-type variables of the LMC is **intermediate** between the periods of the Galactic RR Lyrae stars of Oosterhoff type I (OoI) and II (OoII), but it is actually closer to the Oo I clusters (being  $\langle P_{RRab} \rangle = 0.55$ , and 0.65 days in Oo I and II clusters, respectively; Oosterhoff 1939). Our results also indicate that the average pulsation properties of the RR Lyrae stars in the two fields are slightly different, with variables in field B being more definitely of

Oo type I. Field B contains in fact a larger number of *ab*-type RR Lyrae with periods around half a day (10 out of 35 R Rab's in field B have  $P = 0.50 \pm 0.02$  days corresponding to 28.6 %, while only 5 out of 52 in field A, corresponding to 9.6 %), as confirmed by the average periods computed keeping the variables in the two fields separate. These are:  $\langle P_{RRc} \rangle = 0.320 \pm 0.011$  days ( $\sigma = 0.050$ , 20 stars),  $\langle P_{RRab} \rangle = 0.593 \pm 0.010$  days ( $\sigma = 0.065$ , 52 stars), and  $\langle P_{RRc} \rangle = 0.329 \pm 0.011$  days ( $\sigma = 0.047$ , 18 stars),  $\langle P_{RRab} \rangle = 0.562 \pm 0.013$  days ( $\sigma = 0.075$ , 35 stars), in field A and B, respectively.

The *B* and *V* amplitudes ( $A_B$ ,  $A_V$ , see Columns 14 and 15 of Tables 5 and 6) were used together with the newly derived periods to build the period - amplitude diagrams shown in Figure 27. The overlap in the transition region between *ab* and *c*-type RR Lyrae is small (5 objects, see Figure 26). Our shortest period *ab*-type RR Lyrae's are: star #19450 in field A,  $P = 0.398$  days,  $A_V = 1.344$  and  $A_B = 1.709$  mag; and star #19037 in field B,  $P = 0.411$  days,  $A_V = 1.466$  and  $A_B = 1.821$  mag. The longest period *c*-types are: star #6415 in field A, with  $P = 0.443$  days,  $A_V = 0.438$  and  $A_B = 0.473$  mag, and stars # 6957 and # 7064 in field B, respectively with  $P = 0.406$  days,  $A_V = 0.396$ ,  $A_B = 0.568$  mag and  $P = 0.401$  days,  $A_V = 0.474$ ,  $A_B = 0.607$  mag. These stars define the transition region between *ab* and *c*-type RR Lyrae stars that, in our sample, occurs at  $P_{tr} \sim 0.40$  days, ( $P_{tr} = 0.457$  days in A96). They are labelled in the period-amplitude distributions in Figure 27.

A96 discuss at some length the existence in their period and amplitude distributions (see figs. 1 and 6 of A96) of an extra-large number of variables with period around 0.28 days, which have asymmetric light curves, but low amplitudes. A96 classify these variables as possible second-overtone RR Lyrae's (type *e*), and see also the discussion in Soszyński et al. (2003). Figure 26 does not show clear evidence for an extra peak around  $P \sim 0.28$  days. We have 8 objects in the period range from 0.265 to 0.291 days (4 in each of the two fields). Only two of them show asymmetric light curves, namely: star #2223 in field A with  $P = 0.288$  days,  $A_V = 0.493$  mag,  $A_B = 0.604$  mag, and  $A_I = 0.499$  mag; and star #10585 in field B with  $P = 0.270$  days,  $A_V = 0.478$



**Fig. 27.**  $A_B$  vs  $\log P$  and  $A_V$  vs  $\log P$  diagrams for the RR Lyrae's with complete  $B$  and  $V$  light curves in field A and B, separately. Solid lines show the distributions defined by the  $ab$ -type RR Lyrae variables in the globular clusters M3 from the photometry of Carretta et al. (1998), and M15 from Bingham et al. (1984). Dashed lines in the lower panels are the  $A_V$  vs  $\log P$  relations derived for M3 and  $\omega$  Cen by Clement (2000) only using RRAb's with regular light curves. Different symbols refer to  $ab$  (filled square and circles, in field A and B respectively),  $c$  (open square and circles in field A and B respectively),  $d$ -type (asterisks) RR Lyrae variables, and candidate Anomalous Cepheids (crosses), respectively. Triangles mark the RR Lyrae variables that are found or suspected to be affected by Blazhko effect. Labels identify RR Lyrae stars at the transition period between  $ab$ - and  $c$ -types

mag, and  $A_B=0.657$  mag. Another RRAc of slightly longer period has very asymmetric curves: star #7490 in field B with  $P=0.305$  days,  $A_V=0.505$  and  $A_B=0.637$ .

The  $A_V - \log P$ ,  $A_B - \log P$  distributions of the variables in the two fields are similar (see Figure 27), and resemble fig. 6 of A96, however our  $A_V$  amplitudes range is slightly larger than in A96, with  $A_V$  values from 0.29 to 1.47 mag in our sample to compare with 0.35-1.35 in A96.

The period - amplitude distributions of the LMC variables were compared with the relations defined by the  $ab$ -type RR Lyrae's in the globular clusters M3, M15 and  $\omega$  Cen, shown by lines in Figure 27. Solid lines were derived from the photometry of Carretta et al. (1998) for M3, and Bingham et al. (1984) for M15, and were computed as follow: we first derived the period-amplitude relations using the M3 sample which is more extended; then we shifted the intercept of these relations while holding fixed the slopes,

until a good fit (by eye) was obtained also for the variables in M15, which are too few in number to give a satisfactory best fit by themselves. Dashed lines in the lower panels of Figure 27 are the  $A_V$  vs  $\log P$  relations derived for M3 and  $\omega$  Cen by Clement (2000) using only RRab's with regular light curves (see also Clement & Shelton 1999, and Clement & Rowe 2000).

RR Lyrae's in field B seem to better follow the amplitude-period relations of the variables in M3 and, as already noted, to belong to the OoI type. Variables in field A, instead, have pulsation properties more intermediate between the two Ooostheroff types.

### 5.1. The double-mode pulsators in our sample

According to A97, nine double-mode RR Lyrae stars were expected to fall in the observed areas. We detected all of them and also found evidence for one possible additional RRd: star # 2249. This variable is tentatively classified as  $d$ -type mainly because of the large scatter of the observed  $V$  and  $B$  light curves (0.12 and 0.11 mag, respectively), which has no obvious explanation since the object, although rather faint, is not blended to other stars on the frames. We fully covered the light variation of all RRd's in our sample; however our sampling of their light curves is too coarse to allow a firm identification of the two periodicities, particularly for stars with fundamental periods around half a day. Periods from A97 have been adopted to phase the data of these variables, apart from star # 2249 for which we use our period.

The average luminosity we derive from the 10 RRd's in our sample, using the magnitude-averaged values in column 11 of Tables 5 and 6 ( $\langle V_{RRd} \rangle = 19.335 \pm 0.056$ ,  $\sigma = 0.176$ , 10 stars) is in very good agreement with A00 average luminosity of the LMC double mode RR Lyrae stars ( $\langle V_{RRd} \rangle = 19.327 \pm 0.021$ ).

We may compare the average luminosity of the RRd variables with the average luminosity of the single-mode RR Lyrae stars in our two fields. Due to the difference in reddening between the two fields (see C03) this comparison is better done keeping the variables in the two areas separated. We found  $\langle V(RRd) \rangle_{FieldA} = 19.378 \pm 0.055$  ( $\sigma = 0.135$ ), and  $\langle B(RRd) \rangle_{FieldA} = 19.731 \pm 0.058$  ( $\sigma = 0.141$ ) from the average of the 6 RRd's in field A, to compare with average values derived from the single-mode pulsators of  $19.421 \pm 0.020$  ( $\sigma = 0.156$ , 61 stars), and  $19.824 \pm 0.022$  ( $\sigma = 0.173$ , 61 stars), respectively; and  $\langle V(RRd) \rangle_{FieldB} = 19.229 \pm 0.087$  ( $\sigma = 0.173$ ) and  $\langle B(RRd) \rangle_{FieldB} = 19.578 \pm 0.093$  ( $\sigma = 0.186$ ) from the average of the 4 RRd's in field B, to compare with average values derived from the single-mode pulsators of  $19.326 \pm 0.023$  ( $\sigma = 0.155$ , 45 stars), and  $19.687 \pm 0.023$  ( $\sigma = 0.156$ , 45 stars), respectively. The RRd pulsators seem to be slightly brighter than the single-mode ones in the same field (by 0.043 mag in  $V$  and 0.093 in  $B$  in field A, and by 0.097 in  $V$  and 0.109 in  $B$  in field B), although the statistical significance of this result might be weak given

the rather small number of objects. A similar conclusion was also reached by G04.

## 6. Fourier decomposition of the light curves

In recent years Jurcsik & Kovács (1996; hereinafter JK96), Kovács & Jurcsik (1996, 1997; hereinafter KJ96, KJ97), and Kovács & Walker (2001; hereinafter KW01) have derived empirical relations between the parameters of the Fourier decomposition of the  $V$  light curves of the fundamental mode RR Lyrae stars and their basic stellar quantities, namely: intrinsic magnitude and colours, effective temperature, gravity and metal abundance. These relationships were calibrated on Galactic field RR Lyrae (JK96) and on globular clusters variables (KJ96, KJ97, and KW01), and should allow to derive the physical parameters for any RRab provided that accurate Fourier parameters of  $V$  light curve are available.

Our sample of  $ab$ -type LMC RR Lyrae stars with high quality multiband light curves, metal abundances homogeneously derived and covering more than 1 dex metallicity range (G04), all at the same distance from us, and with reddening consistently derived (C03), may be used to check these empirical relationships.

JK96 show that the light curves of the variable stars must satisfy completeness and regularity criteria, referred to by the authors as *compatibility conditions*, for the Fourier parameters to predict reliable empirical quantities. Namely, the deviations of the Fourier parameters should not exceed the maximum value ( $D_m$ ) of 3, with maximum deviations  $D_m > 3$  possibly indicating that incompatibility with the empirical predictions can be expected (Kovács & Kanbur 1998, hereinafter KK98). The deviation parameters  $D_F$  are defined as  $D_F = |F_{obs} - F_{calc}| / \sigma_F$ , where  $F_{obs}$ ,  $F_{calc}$  are respectively the observed value of a given Fourier parameter and its predicted value from the other observed parameters, and  $\sigma_F$  is the respective standard deviation (see eq. 6 and Table 6 of JK96). JK96 find that Blazhko stars do not generally satisfy the *compatibility conditions*. However, Cacciari, Corwin, & Carney (2004), in their extensive analysis of the RR Lyrae stars in the globular cluster M3, based on the large database of Corwin and Carney (2001), found that 40% of the variables with  $D_m < 3$  were indeed Blazhko stars.

From our sample of 87 LMC RRab's we thus chose objects with fully covered  $V$  light curves, no systematic shifts between 1999 and 2001 photometry, and not affected (or suspected to be affected) by Blazhko effect. The selected variables were then tested against JK96 *compatibility conditions*; 29 of them passed the test. This sample includes 14 stars with  $D_m \leq 3$ , and 15 objects with  $3 < D_m \leq 5$ , ( $D_m < 5$  can still provide acceptable results, cf. Cacciari et al. 2004). Parameters from the Fourier decomposition of their  $V$  light curves are provided in Table 16, while in column 3 of Table 17 we report the highest maximum  $D_m$  value of each star. Metallicities ( $[Fe/H]$ ), absolute magnitudes ( $M_V$ ), intrinsic  $(B-V)_0$  colours, and effective temperatures ( $T_{eff}$ ), were then computed from these param-

**Table 16.** Fourier parameters of the light curves and corresponding estimate of the star metallicity, absolute magnitude, intrinsic  $(B - V)_0$  colour, and effective temperature

| Star     | P       | $\langle B - V \rangle_{int}$ | A1                    | A2          | A3          | A4          | A5          | A6          | A7          | A8      |
|----------|---------|-------------------------------|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|---------|
| 7325     | 0.48677 | 0.410                         | 0.34815               | 0.18973     | 0.13552     | 0.09432     | 0.05650     | 0.04252     | 0.01980     | 0.01321 |
|          |         |                               | $\Phi_{21}$           | $\Phi_{31}$ | $\Phi_{41}$ | $\Phi_{51}$ | $\Phi_{61}$ | $\Phi_{71}$ | $\Phi_{81}$ |         |
|          |         |                               | 3.94169               | 1.90815     | 6.15817     | 4.23861     | 2.16828     | 0.40072     | 4.83247     |         |
|          |         |                               | df1                   | df2         | df3         | df4         | df5         |             |             |         |
|          |         |                               | 1.414                 | 0.909       | 0.352       | 1.388       | 2.824       |             |             |         |
|          |         |                               | df21                  | df31        | df41        | df51        |             |             |             |         |
|          |         |                               | 0.661                 | 0.757       | 0.894       | 0.501       |             |             |             |         |
| $[Fe/H]$ | $M_V$   | $(B - V)_0$                   | $\log T_{eff}(B - V)$ |             |             |             |             |             |             |         |
| -0.874   | 0.684   | 0.332                         | 3.817                 |             |             |             |             |             |             |         |

Table 16 is presented in its entirety in the electronic edition of the Journal. A portion is shown here for guidance regarding its form and content.

**Table 17.** Metallicities, absolute magnitudes,  $(B - V)_0$  colours, and effective temperatures from the Fourier parameters of the light curves for the subset of 29 RRab stars

| Id    | Field | $D_m$        | $[Fe/H]$<br>(Fourier) | $[Fe/H]$<br>G04  | $M_V$<br>(Fourier) | $M_V$<br>(this paper) | $(B - V)_0$<br>(Fourier) | $(B - V)_0$<br>(this paper) | $\log T_{eff}$<br>(Fourier) |
|-------|-------|--------------|-----------------------|------------------|--------------------|-----------------------|--------------------------|-----------------------------|-----------------------------|
| 1408  | B     | $\leq 4.159$ | $-0.588 \pm 0.172$    | $-1.70 \pm 0.11$ | $0.495 \pm 0.027$  | 0.561                 | 0.353                    | 0.358                       | 3.812                       |
| 2249  | B     | $\leq 4.769$ | $-1.497 \pm 0.212$    | $-1.56 \pm 0.15$ | $0.520 \pm 0.027$  | 0.564                 | 0.352                    | 0.366                       | 3.806                       |
| 2525  | A     | $\leq 3$     | $-1.363 \pm 0.206$    | $-2.06 \pm 0.14$ | $0.513 \pm 0.027$  | 0.465                 | 0.356                    | 0.334                       | 3.806                       |
| 2884  | B     | $\leq 3$     | $-1.622 \pm 0.216$    | $-1.90 \pm 0.09$ | $0.507 \pm 0.027$  | 0.435                 | 0.355                    | 0.354                       | 3.804                       |
| 3054  | B     | $\leq 4.158$ | $-0.944 \pm 0.208$    | —                | $0.729 \pm 0.028$  | 0.284                 | 0.354                    | 0.311                       | 3.809                       |
| 3400  | B     | $\leq 4.025$ | $-1.588 \pm 0.239$    | $-1.45 \pm 0.24$ | $0.624 \pm 0.028$  | 0.687                 | 0.315                    | 0.305                       | 3.817                       |
| 3412  | B     | $\leq 3$     | $-1.619 \pm 0.232$    | —                | $0.572 \pm 0.028$  | 0.643                 | 0.324                    | 0.356                       | 3.814                       |
| 4540  | B     | $\leq 3.111$ | $-1.403 \pm 0.216$    | —                | $0.544 \pm 0.027$  | 0.632                 | 0.338                    | 0.330                       | 3.811                       |
| 4974  | A     | $\leq 3$     | $-1.085 \pm 0.200$    | $-1.35 \pm 0.09$ | $0.611 \pm 0.027$  | 0.509                 | 0.363                    | 0.328                       | 3.806                       |
| 5167  | A     | $\leq 4.762$ | $-1.323 \pm 0.202$    | —                | $0.553 \pm 0.027$  | 0.484                 | 0.369                    | 0.375                       | 3.802                       |
| 5902  | B     | $\leq 3$     | $-1.436 \pm 0.217$    | $-2.12 \pm 0.11$ | $0.531 \pm 0.027$  | 0.339                 | 0.337                    | 0.320                       | 3.811                       |
| 6398  | A     | $\leq 3$     | $-1.099 \pm 0.205$    | $-1.40 \pm 0.30$ | $0.587 \pm 0.027$  | 0.442                 | 0.346                    | 0.339                       | 3.811                       |
| 6426  | A     | $\leq 3.667$ | $-1.707 \pm 0.212$    | $-1.59 \pm 0.09$ | $0.404 \pm 0.027$  | 0.310                 | 0.348                    | 0.317                       | 3.806                       |
| 7247  | A     | $\leq 3$     | $-1.262 \pm 0.211$    | $-1.41 \pm 0.10$ | $0.601 \pm 0.027$  | 0.533                 | 0.348                    | 0.290                       | 3.809                       |
| 7325  | A     | $\leq 3$     | $-0.874 \pm 0.209$    | $-1.28 \pm 0.09$ | $0.684 \pm 0.028$  | 0.560                 | 0.332                    | 0.332                       | 3.817                       |
| 7468  | A     | $\leq 4.923$ | $-0.746 \pm 0.177$    | —                | $0.626 \pm 0.026$  | 0.740                 | 0.392                    | 0.404                       | 3.799                       |
| 8094  | A     | $\leq 4.088$ | $-1.188 \pm 0.178$    | $-1.83 \pm 0.12$ | $0.460 \pm 0.026$  | 0.478                 | 0.394                    | 0.432                       | 3.795                       |
| 8220  | A     | $\leq 3.605$ | $-1.032 \pm 0.182$    | —                | $0.496 \pm 0.026$  | 0.594                 | 0.375                    | 0.350                       | 3.802                       |
| 8720  | A     | $\leq 3$     | $-1.682 \pm 0.212$    | $-1.76 \pm 0.20$ | $0.365 \pm 0.028$  | 0.254                 | 0.336                    | 0.283                       | 3.810                       |
| 9494  | A     | $\leq 3.889$ | $-1.526 \pm 0.219$    | $-1.69 \pm 0.28$ | $0.505 \pm 0.027$  | 0.342                 | 0.335                    | 0.292                       | 3.811                       |
| 9660  | A     | $\leq 3.746$ | $-1.345 \pm 0.204$    | —                | $0.580 \pm 0.026$  | 0.517                 | 0.373                    | 0.367                       | 3.800                       |
| 10214 | A     | $\leq 4.261$ | $-0.314 \pm 0.165$    | $-1.48 \pm 0.12$ | $0.621 \pm 0.027$  | 0.329                 | 0.374                    | 0.332                       | 3.807                       |
| 12896 | A     | $\leq 4.745$ | $-1.298 \pm 0.211$    | $-1.53 \pm 0.10$ | $0.564 \pm 0.027$  | 0.714                 | 0.347                    | 0.351                       | 3.809                       |
| 14449 | B     | $\leq 4.877$ | $-1.483 \pm 0.216$    | $-1.70 \pm 0.13$ | $0.585 \pm 0.027$  | 0.732                 | 0.357                    | 0.370                       | 3.805                       |
| 18314 | A     | $\leq 3$     | $-1.324 \pm 0.209$    | $-1.71 \pm 0.12$ | $0.487 \pm 0.028$  | 0.535                 | 0.334                    | 0.218                       | 3.813                       |
| 25301 | A     | $\leq 3$     | $-1.095 \pm 0.204$    | $-1.40 \pm 0.18$ | $0.547 \pm 0.027$  | 0.891                 | 0.336                    | 0.396                       | 3.814                       |
| 25362 | A     | $\leq 3$     | $-1.279 \pm 0.209$    | $-1.49 \pm 0.10$ | $0.509 \pm 0.027$  | 0.568                 | 0.335                    | 0.299                       | 3.813                       |
| 26525 | A     | $\leq 3$     | $-1.887 \pm 0.245$    | $-1.63 \pm 0.12$ | $0.602 \pm 0.028$  | 0.598                 | 0.329                    | 0.368                       | 3.811                       |
| 26821 | A     | $\leq 3$     | $-1.235 \pm 0.205$    | $-1.37 \pm 0.13$ | $0.606 \pm 0.027$  | 0.749                 | 0.364                    | 0.372                       | 3.804                       |

Note: The  $\log T_{eff}$ 's from the Fourier parameters are from the Fourier  $(B - V)_0$  colours.


eters using the relationships by JK96, KW01 and Kovács (2002; hereinafter K02). They are provided in columns 4, 6, 8, and 10 of Table 17. These values were compared with the corresponding observed quantities obtained in the present photometric study and in G04 spectroscopic analysis. These comparisons are described in detail in the following sections.

### 6.1. Metallicities

According to JK96 the  $[Fe/H]$  metal abundance of a fundamental mode RR Lyrae star is a linear function of the star's period  $P$  and of the parameter  $\phi_{31}$  of the Fourier decomposition of the  $V$  light curve. We have estimated

*photometric* metallicities for our subsample of 29 *ab*-type RR Lyrae stars using equation (3) of JK96 (see also K02). Errors were calculated according to eq.s (4) and (5) of JK96, and adopting for the Fourier parameters the standard deviations provided in Table 2 of KK98. These *photometric* metallicities are based on Jurcsik (1995) metallicity scale. They span the range:  $-0.31 < [Fe/H] < -1.89$  with an average value of  $[Fe/H] = -1.27$  ( $\sigma = 0.27$ , 29 stars), and mean uncertainty of about 0.21 dex (see column 4 of Table 17). G04 measured the metallicity for 22 of these stars using low resolution spectroscopy obtained with the VLT. The spectroscopic abundances are listed in column 5 of Table 17. They have average uncertainty of about 0.14 dex and span the metallicity range:





**Fig. 28.** Left panel: run of the  $\phi_{31}$  values with the spectroscopic metal abundance for the 22 stars analyzed by G04. Right panel: star-to-star comparison between *photometric* and G04 spectroscopic metallicities. For ease of comparison we show the 1:1 line. Filled and open symbols and are used for the variables with  $D_m \leq 3$  and  $3 < D_m \leq 5$ , respectively.

$-2.12 < [\text{Fe}/\text{H}] < -1.28$ , in G04 metallicity scale. This scale is on average 0.2 dex more metal poor than Jurcsik (1995) scale (see G04).

The average difference between photometric and spectroscopic metallicities is  $0.30 \pm 0.07$  dex, with the photometric abundances being larger as expected. In the left panel of Figure 28 we show the run of the  $\phi_{31}$  values with G04 metal abundances, and in the right panel the star-to-star comparison between *photometric* and G04 spectroscopic metallicities for these 22 stars.

The correlations in both panels are not very strong, though, admittedly, some of the most deviating objects have large  $D_m$  values.

## 6.2. Absolute magnitudes


$M_V$  values were derived from the Fourier parameters  $A_1$  and  $A_3$  using equation (1) of K02 with the zero point set in agreement with the distance modulus:  $\mu_{LMC} = 18.515 \pm 0.085$  for the LMC and the dereddened average visual magnitude of the LMC RR Lyrae stars:  $\langle V(RR) \rangle_0 = 19.064 \pm 0.064$  by C03, implying  $M_V = 0.549$  at  $[\text{Fe}/\text{H}] = -1.5$ . These values are listed in column 6 of Table 17. Errors have been computed from equation A.2 in KW01, with standard deviations of the Fourier parameters  $A_1$  and  $A_3$  taken from Table 2 of KK98. The uncertainties of the  $M_V$  values appear surprisingly small. For comparison in column 7 we list the  $M_V$  values computed from the observed apparent intensity-averaged magnitudes (taken from column 8 of Tables 5 and 6) dereddened for  $E(B-V) = 0.116$  and  $0.086$  in field A and B respectively (C03) and the standard extinction law  $A_V = 3.1 \times E(B-V)$ , on the assumption of  $\mu_{LMC} = 18.515 \pm 0.085$  (C03). The

star-to-star comparison between  $M_V$  values is shown in the left panel of Figure 29. The reduced range of the  $(M_V)_{\text{Fourier}}$  values compared to the observed  $M_V$ 's is quite surprising. If we remove the two major outliers (stars # 3054 and 25301) the  $(M_V)_{\text{Fourier}}$  values still span only 60% of the range spanned by the observed  $M_V$ 's. The larger range of the observed  $M_V$ 's can be only partially justified by the actual intrinsic depth of our LMC observed fields (see discussion in Section 3.1 of C03).

## 6.3. Intrinsic $(B-V)_0$ colours and effective temperatures

$(B-V)_0$  intrinsic colours were computed from the Fourier parameters  $A_1$  and  $A_3$  using equation (6) of KW01 which is based on the zero points established by KJ97 for magnitude-averaged magnitudes. The values of  $\log T_{\text{eff}}$  were then computed from these  $(B-V)_0$  colours using equation (11) of KW01 and adopting  $\log g = 2.75$  for the average gravity as suggested by several Baade-Wesselink studies. Derived values are listed in columns 9 and 10 of Table 17, respectively. Observed  $(B-V)_0$  colours were computed from the magnitude-averaged values in column 11 of Tables 5 and 6 and dereddened according to the  $E(B-V)$  values in C03, these colours are provided in column 8 of Table 17. The comparison between derived and observed colours is shown in the right panel of Figure 29. As with the absolute magnitudes, the  $[(B-V)_0]_{\text{Fourier}}$  colours cover an interval about 40% smaller than that spanned by the observed  $(B-V)_0$ 's.

In conclusion, the comparison between empirical determinations from the Fourier parameters of the light curves



**Fig. 29.** Star-to-star comparison between  $M_V$  values (left panel) and  $(B - V)_0$  colours (right panel) derived from the Fourier parameters of the light curves and the corresponding observed quantities. For ease of comparison we show the 1:1 lines. Filled and open symbols mark variables with  $D_m \leq 3$  and  $3 < D_m \leq 5$ , respectively.

and corresponding observed quantities for the 29 *ab*-type RR Lyrae stars in the LMC has revealed a number of discrepancies, in particular between the derived and observed  $M_V$  and  $(B - V)_0$  values, deserving deeper investigation based on larger samples of stars than available here. In this respect, we notice that similar discrepancies in the  $M_V$  and  $(B - V)_0$  values have been found by Cacciari et al. (2004), from the analysis of the RR Lyrae stars in M3, and in the  $M_V$  values of the variables in  $\omega$  Cen (Clement & Rowe 2000) and M15 (Kaluzny et al. 2000).

*Acknowledgements.* We are indebted to G. Rodighiero for her advice on the use of SExtractor, to M. Bellazzini and M. Messineo for their help in setting the DoPHOT reductions, and to R. Merighi for help in the layout of some of the figures of the paper. It is a pleasure to thank D. Alves, C. Clement and G. Kovács for providing some of the data on which the comparison with MACHO photometry is based. Special thanks go to C. Cacciari for many valuable discussions on the parameters of the Fourier decomposition of the light curves, and for lending us her macros to compute the basic stellar quantities from the Fourier parameters. We thank the anonymous referee for useful suggestions.

This paper utilizes public domain data obtained by the MACHO Project, jointly funded by the US Department of Energy through the University of California, Lawrence Livermore National Laboratory under contract No. W-7405-Eng-48, by the National Science Foundation through the Center for Particle Astrophysics of the University of California under cooperative agreement AST-8809616, and by the Mount Stromlo and Siding Spring Observatory, part of the Australian National University.

This work was partially supported by MIUR - Cofin98 under the project "Stellar Evolution", by MIUR - Cofin00 under the project "Stellar observables of cosmological relevance", and

by MIUR - Cofin02 under the project "Stellar populations, distances and star formation histories in Local Group galaxies of all morphological types".

## References

- Alcock, C. et al. 1996, AJ, 111, 1146 (A96)
- Alcock, C. et al. 1997, ApJ, 482, 89 (A97)
- Alcock, C. et al. (the MACHO collaboration) 1999, PASP, 111, 1539 (A99)
- Alcock, C. et al. 2000, AJ, 119, 2194 (A00)
- Alcock, C. et al. 2003a, VizieR On-line Data Catalog: II/247
- Alcock, C. et al. 2004, AJ, 127, 334 (astro-ph/0310281)
- Alcock, C. al. (the MACHO collaboration) 2003b, ApJ, 598, 597
- Alves, D.R. 2004, Proc. of JD 13 on "Extragalactic Binaries", IAU XXV General Assembly, eds. A. Gimenez and I. Ribas, in press (astro-ph/0310673)
- Baldacci, L., Clementini, G., Held, E.V., & Rizzi, L. 2004, in Communications in Asteroseismology, Asteroseismology and Stellar Evolution, eds. Z. Kollath & G. Handler, Austrian Academy of Sciences, Vol. 145, p.32 (astro-ph/0311170)
- Barning, F.J.M. 1963, Bull. Astron. Inst. Netherlands, 17, 22
- Bingham, E.A., Cacciari, C., Dickens, R.J., & Fusi Pecci, F. 1984, MNRAS, 209, 765
- Blazhko, S. 1907, Astron. Nachr., 175, 325
- Bono, G., Caputo, F., Santolamazza, P., Cassisi, S., & Piersimoni, A. 1997, AJ, 113, 2209
- Bono, G., Caputo, F., & Stellingwerf, R.F. 1995, ApJS, 99, 263
- Bragaglia, A., Gratton, R.G., Carretta, E., Clementini, G., Di Fabrizio, L., & Marconi, M. 2001, AJ, 122, 207
- Cacciari, C., Corwin, T.M., & Carney, B.W. 2004, AJ, in press (astro-ph/0409567)
- Carretta, E., Cacciari, C., Ferraro, F.R., Fusi Pecci, F., & Tessicini, G. 1998, MNRAS, 298, 1005

Caputo, F. 1998, A&ARv, 9, 33

Carney, B.W., Storm, J., & Jones, R.V. 1992, ApJ, 386, 684

Clement, C.M. 2000, in The Impact of Large-Scale Surveys on Pulsating Star Research, ASP Conference Series, ed. L. Szabados and D. Kurtz, Vol. 203, p.266

Clement, C.M., & Rowe, J. 2000, AJ, 120, 2579

Clement, C.M., & Shelton, I. 1999, ApJ, 515, L85

Clementini, G., Gratton, R.G., Bragaglia, A., Carretta, E., Di Fabrizio, L., & Maio, M. 2003a, AJ, 125, 1309 (C03)

Clementini, G., Held, E.V., Baldacci, L., & Rizzi, L. 2003b, ApJ, 588, L85

Corwin, T.M., & Carney, B.W. 2001, AJ, 122, 3183

Dolphin, A.E., Saha, A., Claver, J., Skillman, E.D., Cole, A.A., Gallagher, J.S., Tolstoy, E., Dohm-Palmer, R.C., & Mateo, M. 2002, AJ, 123, 3154

Freedman, W.L., et al. 2001, ApJ, 553, 47

Gallart, C., Freedman, W.L., Aparicio, A., Bertelli, G., & Chiosi, C. 1999, AJ, 118, 2245

Gallart, C., Aparicio, A., Freedman, W.L., Madore, B.F., Martinez-Delgado, D., & Stetson, P.B. 2004, AJ, 127, 1486

Gratton, R.G., Bragaglia, A., Clementini, G., Carretta, E., Di Fabrizio, L., Maio, M., & Taribello, E. 2004, A&A, 421, 937 (G04)

Harris, W.E. 1996, AJ, 112, 1487

Jurcsik, J. 1995, AcA, 45, 653

Jurcsik, J., & Kovács, G. 1996, A&A, 312, 111 (JK96)

Kaluzny, J., Kubiak, M., Szymański, A., Udalski, A., Krzemiński, W., & Mateo, C. 1997, A&AS, 125, 343

Kaluzny, J., Olech, A., Thompson, I., Pych, W., Krzemiński, W., & Schwarzenberg-Czerny, A. 2000, A&AS, 143, 215

Kovács, G., 2002, in  $\omega$  Centauri: A Unique Window into Astrophysics, ASP Conference Series, eds F. van Leeuwen, G. Piotto and J. Hughes, Vol. 265, 163 (K02)

Kovács, G., & Jurcsik, J. 1996, ApJ, 466, L17 (KJ96)

Kovács, G., & Jurcsik, J. 1997, A&A, 322, 218 (KJ97)

Kovács, G., & Kanbur, S.M., 1998, MNRAS, 295, 834 (KK98)

Kovács, G., & Walker, A.R., 2001, A&A, 371, 579 (KW01)

Landolt, A.U. 1992, AJ, 104, 340

Lomb, N.R. 1976, Ap&SS, 39, 447

Marconi, M., & Clementini, G. 2004, in preparation

Marconi, M., Fiorentino, G., & Caputo, F. 2004, A&A, 417, 1101

Moskalik, P., & Poretti, E. 2003, A&A, 398, 213

Nemec, J.M., Nemec, A.F.L., & Lutz, T.E. 1994, AJ, 108, 222

Norris, J.E., Freeman, K.C., & Mighell, K.L. 1996, ApJ, 462, 241

Oosterhoff, P.T. 1939, Observatory, 62, 104

Pancino, E., Pasquini, L., Hill, V., Ferraro, F., & Bellazzini, M. 2002, ApJ, 568, 101

Pritzl, B.J., Armandroff, T.E., Jacoby, G.H., & Da Costa, G. S. 2002, AJ, 124, 1464

Sandage, A., 1990, ApJ, 350, 603

Sandage, A., 1993, AJ, 106, 703

Scargle, J.D. 1982, ApJ, 263, 835

Schechter, P.L., Mateo, M., Saha, A. 1993, PASP, 105, 1342

Smith, H.A., Silbermann, N.A., Baird, S.R., & Graham, J.A. 1992, AJ, 104 1430

Soszyński, A., Udalski, A., Szymański, M., Kubiak, M., Pietrzyński, G., Woźniak, P., Zebruń, K., Szewczyk, O., Wyrzykowski, L. 2003, Acta Astron., 53, 93

Stetson, P.B. 2000, PASP, 112, 925

Stetson, P.B. 1994, PASP, 196, 250

Stetson, P.B. 1996, "Users manual for DAOPHOT II"

Suntzeff, N.B., & Kraft, R.P. 1996, AJ, 111, 1913

Szeidl, B. 1988, in Multimode Stellar Pulsations, ed. G. Kovács, L. Szabados, & B. Szeidl (Budapest: Konkoly Obs.), 45

Udalski, A., Kubiak, M., & Szymański, M. 1997, Acta Astron., 47, 319

Udalski, A. et al. 2000, Acta Astron. 50, 307

Walker, A.R. 1992, ApJ 390, L81

Wallerstein, G., & Cox, A.N. 1984, PASP, 96, 677

Zinn, R., & West, M.J. 1984, ApJS, 55, 45

## Appendix A: Atlas of the light curves

Atlas of the light curves for the 162 short period variables stars in our two LMC fields. The photometric data are folded with the ephemerides given in Table 5 and 6. Variables stars are divided per field and grouped by type: RR Lyrae stars (*ab*-, *c*-, *d*-type separately),  $\delta$  Scuti, candidate Anomalous Cepheids, Cepheids, eclipsing binaries, and within each group are ordered by increasing period.




Fig. A.1.  $B, V, I$  light curves of the  $ab$ -type RR Lyrae stars in field A, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.






Fig. A.1. – continued –




Fig. A.1. – continued –




Fig. A.1. – continued –




Fig. A.1. – continued –






Fig. A.1. – continued –




Fig. A.2. *B, V, I* light curves of the *c*-type RR Lyrae stars in field A, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.





Fig. A.2. – continued –



**Fig. A.3.** *B*, *V*, *I* light curves of the *d*-type RR Lyrae stars and of the  $\delta$  Scuti star (bottom panel) in field A, variables are ordered by increasing period. Open and filled symbols are used for the the 1999 and 2001 data, respectively.







Fig. A.4.  $B$ ,  $V$ ,  $I$  light curves of Classical Cepheids in field A, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.



**Fig. A.5.** *B, V, I* light curves of candidate Anomalous Cepheids (first three top panels) and binaries in field A, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.




Fig. A.6. *B, V, I* light curves of the *ab*-type RR Lyrae stars in field B, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.




Fig. A.6. – continued –






Fig. A.6. – continued –




Fig. A.6. – continued –




Fig. A.7. *B, V, I* light curves of the *c*-type RR Lyrae stars in field B, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.






Fig. A.7. – continued –





**Fig. A.8.** *B*, *V*, *I* light curves of the *d*-type RR Lyrae stars (first four top panels), Anomalous (fifth panel) and Classical Cepheids (bottom panel) in field B, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.



**Fig. A.9.** *B, V, I* light curves of binaries in field B, variables are ordered by increasing period. Open and filled symbols are used for the 1999 and 2001 data, respectively.